

Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: SONAX Cockpit Spray OCEAN FRESH

Article number: 03643000

UFI: 5DG0-S0AE-E00T-7GVT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**Product category** PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

#### Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

# Hazard pictograms



GHS02

#### Signal word Danger

#### Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

### Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

# Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

## 2.3 Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 1)

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Formulation consisting of pressurised gas and solvents with additives

Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane ♦ Flam. Gas 1, H220; Press. Gas (Comp.), H280	20-<25%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1, H220; Press. Gas (Comp.), H280	20-<25%
EC No 934-956-3 Reg.nr.: 01-2119827000-58-xxxx	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7  \$\infty\$ Asp. Tox. 1, H304	15-<20%
EC No 934-954-2 Reg.nr.: 01-2119826592-36-xxxx	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7  \$\infty\$ Asp. Tox. 1, H304	10-<15%
EC No 920-107-4 Reg.nr.: 01-2119453414-43-xxxx	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Alternative CAS number: 64742-47-8  Sp. Tox. 1, H304	10-<15%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane  isobutane Flam. Gas 1, H220; Press. Gas (Comp.), H280	5-<10%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
aliphatic hydrocarbons		≥30%

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### General information:

Take affected persons out into the fresh air.

Remove soiled clothing

### After inhalation:

Supply fresh air.

perfumes

In the event of irritation of the respiratory tract, dizziness, nausea or unconsciousness, call medical assistance immediately.

## After skin contact:

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

Headache Dizziness

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 2)

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

# Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Water haze

For safety reasons unsuitable extinguishing agents: Water with full jet

# 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

### Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

#### Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand. diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Buildup of explosive mixtures possible without sufficient ventilation.

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Highly volatile, flammable constituents are released during processing.

Protect against electrostatic charges.

(Contd. on page 4)



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 3)

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

#### Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Store away from foodstuffs.

#### Further information about storage conditions:

Store receptacle in a well ventilated area.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Protect from heat and direct sunlight.
Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit valu	es that require monitoring at the workplace:
CAS: 106-97-8 butane	
WEL (Great Britain)	Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)
Hydrocarbons, C15-C20, n	-alkanes, isoalkanes, cyclics, < 0.03% aromatics
GERMAN RCP-METHOD (E	EU) Long-term value: 600 mg/m³ 2 (II) / AGW (German TRGS 900)
Hydrocarbons, C13-C16, n	-alkanes, isoalkanes, cyclics, < 0.03% aromatics
GERMAN RCP-METHOD (E	EU) Long-term value: 600 mg/m³ 2 (II) / AGW (German TRGS 900)
Hydrocarbons, C12-C15, n	-alkanes, isoalkanes, cyclics, < 2% aromatics
GERMAN RCP-METHOD (E	EU) Long-term value: 600 mg/m³ 2 (II) / AGW (German TRGS 900)

Regulatory information WEL (Great Britain): EH40/2018

Additional information: The lists valid during the making were used as basis.

## 8.2 Exposure controls

# Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

#### Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

## Respiratory protection:

If the occupational exposure limit is exceeded: The following breathing protection is recommended: Respiratory filter for organic gases and vapours (Type A)

Identification colour: Brown

[DIN EN 14387]

Protection of hands: Not required in normal cases. Eye protection: Not required in normal cases

GB



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 4)

SECTION 9: Physical and chemical properties
---

9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

pH-value:

Form: Aerosol
Colour: Colourless
Odour: Ocean-like, fresh
Not determined.

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 243 - 278 °C

(Active ingredient data)

Not applicable.

**Flash point:** 95 °C (DIN 51755)

(Active ingredient data)

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Auto-ignition temperature: Not determined.

**Explosive properties:** In use, may form flammable/explosive vapour-air mixture.

**Explosion limits:** 

Lower: 0.6 Vol.% (Main ingredient data) 1,5 Vol.% (Propellant data)
Upper: 6.5 Vol.% (Main ingredient data)

10,9 Vol.% (Propellant data)

Vapour pressure: Not determined.

**Density at 20 °C:** 0.80 - 0.82 g/cm<sup>3</sup>

Relative density
Vapour density
Evaporation rate

(Active ingredient data)
Not determined.
Not determined.
Not applicable.

Solubility in / Miscibility with

water: Not miscible or difficult to mix.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Flow time at 20 °C 10 - 15 s (DIN EN ISO 2431/4mm)

(Active ingredient data)

Kinematic at 40 °C: <20.5 mm²/s

(Active ingredient data)

**9.2 Other information** No further relevant information available.

# SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- **10.3 Possibility of hazardous reactions** Develops readily flammable gases/fumes.
- 10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

(Contd. on page 6)



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 5)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on toxicological effects There are no toxicological findings on this mixture.

Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic tox	icity.
CAS: 106-9	7-8 butane
LC50 / 96 h	27.98 ma/l (

Aquatic toxicity:

LC50 / 96 h 27.98 mg/l (fish) EC50 / 4 d 7.71 mg/l (algae)

CAS: 74-98-6 propane

LC50 / 96 h 27.98 mg/l (fish) EC50 / 96 h 7.71 mg/l (algae)

CAS: 75-28-5 isobutane

LC50 / 96 h | 27.98 mg/l (fish) EC50 / 4 d | 7.71 mg/l (algae)

**12.2 Persistence and degradability** No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

Disposal / product + Disposal / contaminated packaging

15 01 10\* packaging containing residues of or contaminated by hazardous substances



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 6)

14.1 UN-Number ADR, IMDG, IATA	UN1950	
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable	
14.3 Transport hazard class(es)		
ADR		
Class	2 5F Gases.	
Label IMDG, IATA	2.1	
Class	2.1	
Label	2.1	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.	
Transport/Additional information:		
ADR Limited quantities (LQ) Transport category Tunnel restriction code	1L 2 D	
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1	

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

## National regulations:

## Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 29.10.2020 Version: 1.01 Revision: 14.02.2020

Trade name: SONAX Cockpit Spray OCEAN FRESH

(Contd. of page 7)

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

#### Classification according to Regulation (EC) No 1272/2008

Aerosols On basis of test data

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

IOELV = indicative occupational exposure limit values

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas

Asp. Tox. 1: Aspiration hazard - Category 1

Version history and indication of changes: Replaces version 1.00.

\* Data compared to the previous version altered.