



## SAFETY DATA SHEET

### STP® Tuff Stuff Multi-Purpose Foam Cleaner

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** STP® Tuff Stuff Multi-Purpose Foam Cleaner

**Product number** 81500

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Automotive foam cleaner.

**Uses advised against** No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Energizer Trading Ltd  
Sword House  
Totteridge Road  
High Wycombe  
HP13 6DG  
UK  
Tel: +44 845 602 1995  
euregulatory@energizer.com

##### 1.4. Emergency telephone number

**Emergency telephone** +44 1495 350234  
Monday - Thursday: 0830 - 1700  
Friday: 0830 - 1530

**National emergency telephone number** Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (SI 2019 No. 720)

**Physical hazards** Aerosol 1 - H222, H229

**Health hazards** Not Classified

**Environmental hazards** Not Classified

**Physicochemical** Containers can burst violently or explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

##### 2.2. Label elements

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### Hazard pictograms



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
<b>Detergent labelling</b>	5 - < 15% aliphatic hydrocarbons, < 5% non-ionic surfactants, < 5% perfumes, Contains CITRAL, D-LIMONENE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Hydrocarbons, C3-4-rich, petroleum distillate</b>		<b>5 - &lt;10%</b>
CAS number: 68512-91-4                      EC number: 270-990-9		
Contains <0.1% w/w 1,3-butadiene (CAS: 106-99-0).		
<b>Classification</b>		
Flam. Gas 1A - H220		
Press. Gas (Liq.) - H280		
<b>2-Butoxyethanol</b>		<b>2 - &lt;3%</b>
CAS number: 111-76-2                      EC number: 203-905-0		
<b>Classification</b>		
Acute Tox. 4 - H302		
Acute Tox. 3 - H331		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
<b>Sodium nitrite</b>		<b>0.25 - &lt;0.5%</b>
CAS number: 7632-00-0                      EC number: 231-555-9		
M factor (Acute) = 1		
<b>Classification</b>		
Ox. Sol. 3 - H272		
Acute Tox. 3 - H301		
Aquatic Acute 1 - H400		

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

<b>Morpholine</b>	<b>0.25 - &lt;0.5%</b>
CAS number: 110-91-8	EC number: 203-815-1
<b>Classification</b> Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Skin Corr. 1B - H314	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms are severe or persist after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	Spray/mists may cause respiratory tract irritation.
<b>Ingestion</b>	Due to the physical nature of this product, exposure by this route is unlikely.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	May be slightly irritating to eyes. May cause discomfort.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically. Keep affected person under observation.
-----------------------------	--

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

<b>Specific hazards</b>	Containers can burst violently or explode when heated, due to excessive pressure build-up. Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Vapours may form explosive mixtures with air.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
<b>5.3. Advice for firefighters</b>	
<b>Protective actions during firefighting</b>	Use water to keep fire exposed containers cool and disperse vapours.
<b>Special protective equipment for firefighters</b>	Use protective equipment appropriate for surrounding materials. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate area. No smoking, sparks, flames or other sources of ignition near spillage. Risk of explosion.
<b>For non-emergency personnel</b>	No action shall be taken without appropriate training or involving any personal risk.

#### 6.2. Environmental precautions

<b>Environmental precautions</b>	Avoid discharge into drains or watercourses or onto the ground.
----------------------------------	---

#### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage. Eliminate all ignition sources if safe to do so. Do not touch or walk into spilled material. Ventilate closed spaces before entering them. Use only non-sparking tools. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
--------------------------------	--

#### 6.4. Reference to other sections

<b>Reference to other sections</b>	See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Read and follow manufacturer's recommendations. Keep away from heat, sparks and open flame. Provide adequate ventilation. Ground/bond container and receiving equipment. Keep away from heat, sparks and open flame.
<b>Advice on general occupational hygiene</b>	Avoid contact with eyes and prolonged skin contact. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store in a cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Take precautionary measures against static discharges.
<b>Storage class</b>	Flammable compressed gas storage.

#### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### Hydrocarbons, C3-4-rich, petroleum distillate

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m<sup>3</sup>

##### 2-Butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup>

Sk, BMGV

##### Morpholine

Long-term exposure limit (8-hour TWA): WEL 10 ppm 36 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 20 ppm 72 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

BMGV = Biological monitoring guidance value.

#### Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)

##### DNEL

Workers - Dermal; Long term systemic effects: 2750 mg/kg

Workers - Inhalation; Long term systemic effects: 175 mg/m<sup>3</sup>

General population - Oral; Long term systemic effects: 15 mg/kg

General population - Dermal; Long term systemic effects: 1650 mg/kg

General population - Inhalation; Long term systemic effects: 52 mg/m<sup>3</sup>

##### PNEC

Fresh water; 0.24 mg/l

marine water; 0.024 mg/l

Sediment (Freshwater); 0.917 mg/kg

Sediment (Marinewater); 0.092 mg/kg

STP; 10000 mg/l

Soil; 7.5 mg/kg

#### Linalool (CAS: 78-70-6)

##### DNEL

Workers - Inhalation; Long term systemic effects: 2.8 mg/m<sup>3</sup>

Workers - Inhalation; Short term systemic effects: 16.5 mg/m<sup>3</sup>

Workers - Dermal; Long term systemic effects: 2.5 mg/kg/day

Workers - Dermal; Short term systemic effects: 5 mg/kg/day

Workers - Dermal; Long term local effects: 3 mg/cm<sup>2</sup>

Workers - Dermal; Short term local effects: 3 mg/cm<sup>2</sup>

General population - Inhalation; Long term systemic effects: 0.7 mg/m<sup>3</sup>

General population - Inhalation; Short term systemic effects: 4.1 mg/m<sup>3</sup>

General population - Dermal; Long term systemic effects: 1.25 mg/kg/day

General population - Dermal; Short term systemic effects: 23.5 mg/kg/day

General population - Dermal; Long term local effects: 1.5 mg/cm<sup>2</sup>

General population - Dermal; Short term local effects: 1.5 mg/cm<sup>2</sup>

General population - Oral; Long term systemic effects: 0.2 mg/kg/day

General population - Oral; Short term systemic effects: 1.2 mg/kg/day

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### PNEC

Fresh water; 0.2 mg/l  
 marine water; 0.02 mg/l  
 STP; 10 mg/l  
 Sediment (Freshwater); 2.22 mg/kg  
 Sediment (Marinewater); 0.222 mg/kg  
 Soil; 0.327 mg/kg  
 Oral; 7.8 mg/kg

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. All handling should only take place in well-ventilated areas. Avoid inhalation of vapours and spray/mists. Use explosion-proof electrical, ventilating and lighting equipment.

#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Frequent changes are recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Hygiene measures

Do not smoke in work area. Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

#### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'-marked.

#### Environmental exposure controls

Keep container tightly sealed when not in use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Opaque liquid.
Colour	White.
Odour	Citrus.
Odour threshold	Not determined.
pH	pH (concentrated solution): 10.2 - 10.9 Liquid.
Melting point	Not relevant.
Initial boiling point and range	Not relevant.
Evaporation rate	Not determined.

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not relevant.
Decomposition Temperature	Not relevant.
Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

### 9.2. Other information

Other information	No information required.
-------------------	--------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
-----------	---

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will not polymerise.
------------------------------------	----------------------

### 10.4. Conditions to avoid

Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight. Avoid heat, flames and other sources of ignition. Avoid the accumulation of vapours in low or confined areas. Pressurised container: may burst if heated
---------------------	--

### 10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
--------------------	--

### 10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Decomposition at ambient temperatures may generate the following substances: Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Acrid smoke or fumes.
----------------------------------	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 23,128.89

### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 30,753.46

### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE inhalation (vapours mg/l)** 95.77

### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Not anticipated to present an aspiration hazard, based on chemical structure.

### Toxicological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

##### Germ cell mutagenicity

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information.

##### Reproductive toxicity

**Reproductive toxicity - fertility** One-generation study - NOAEC 10000 ppm, Inhalation, Rat P REACH dossier information.

**Reproductive toxicity - development** Developmental toxicity: - NOAEC: 10426 ppm, Inhalation, Rat REACH dossier information.



## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### 2-Butoxyethanol

#### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 1,200.0

Species Rat

Notes (oral LD<sub>50</sub>) REACH dossier information.

ATE oral (mg/kg) 1,200.0

#### Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

#### Skin corrosion/irritation

Animal data Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2).  
Oedema score: No oedema (0). REACH dossier information. Irritating.

#### Serious eye damage/irritation

Serious eye damage/irritation Dose: 0.1 ml, 24 hours, Rabbit REACH dossier information. Irritating.

#### Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information.

#### Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information.

#### Carcinogenicity

Carcinogenicity NOAEC 125 ppm, Inhalation, Mouse REACH dossier information. Limited evidence of a carcinogenic effect.

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### Reproductive toxicity

Reproductive toxicity - fertility Two-generation study - NOAEL 720 mg/kg/day, Oral, Mouse P, F1 REACH dossier information.

Reproductive toxicity - development Maternal toxicity: - NOAEL: 50 ppm, Inhalation, Rabbit REACH dossier information.

### Sodium nitrite

#### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 180.0

Species Rat

Notes (oral LD<sub>50</sub>) REACH dossier information.

ATE oral (mg/kg) 180.0

#### Carcinogenicity

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

**IARC carcinogenicity** IARC Group 2A Probably carcinogenic to humans.

### Morpholine

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,900.0

**Species** Rat

**Notes (oral LD<sub>50</sub>)** REACH dossier information.

**ATE oral (mg/kg)** 1,900.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 500.0

**Species** Rabbit

**Notes (dermal LD<sub>50</sub>)** REACH dossier information.

**ATE dermal (mg/kg)** 500.0

#### Acute toxicity - inhalation

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 8.0

**Species** Rat

**Notes (inhalation LC<sub>50</sub>)** REACH dossier information.

**ATE inhalation (vapours mg/l)** 8.0

#### Skin corrosion/irritation

**Animal data** Dose: 0.5 ml, 3 minute, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Corrosive.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Corrosive to skin. Corrosivity to eyes is assumed. REACH dossier information.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** DNA damage and/or repair: Negative. REACH dossier information.

**Genotoxicity - in vivo** Chromosome aberration: Negative. REACH dossier information.

#### Carcinogenicity

**Carcinogenicity** NOAEC > 543 mg/m<sup>3</sup>, Inhalation, Rat REACH dossier information.

**IARC carcinogenicity** IARC Group 3 Not classifiable as to its carcinogenicity to humans.

#### Reproductive toxicity

**Reproductive toxicity - development** Developmental toxicity: - NOAEL: 750 mg/kg/day, Oral, Rat REACH dossier information. Read-across data.

## SECTION 12: Ecological information

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish. However, large or frequent spills may have hazardous effects on the environment.

#### Ecological information on ingredients.

##### Hydrocarbons, C3-4-rich, petroleum distillate

###### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 49.47 mg/l, Fish  
REACH dossier information.  
QSAR

##### 2-Butoxyethanol

###### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 1474 mg/l, Oncorhynchus mykiss (Rainbow trout)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 1550 mg/l, Daphnia magna  
REACH dossier information.

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 911 mg/l, Pseudokirchneriella subcapitata  
REACH dossier information.

###### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 21 day: > 100 mg/l, Brachydanio rerio (Zebra Fish)  
REACH dossier information.

**Chronic toxicity - aquatic invertebrates** NOEC, 21 days: 100 mg/l, Daphnia magna  
REACH dossier information.

##### Sodium nitrite

###### Acute aquatic toxicity

**LE(C)<sub>50</sub>** 0.1 < L(E)C<sub>50</sub> ≤ 1

**M factor (Acute)** 1

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 0.54 - 26.3 mg/l, Oncorhynchus mykiss (Rainbow trout)  
REACH dossier information.

**Acute toxicity - aquatic invertebrates** EC<sub>0</sub>, 48 hours: 4.6 mg/l, Daphnia magna  
EC<sub>50</sub>, 48 hours: 15.4 mg/l, Daphnia magna  
EC<sub>100</sub>, 48 hours: > 100 mg/l, Daphnia magna  
REACH dossier information.

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: > 100 mg/l, Desmodesmus subspicatus  
NOEC, 72 hours: 100 mg/l, Desmodesmus subspicatus  
REACH dossier information.

**Acute toxicity - microorganisms** EC<sub>50</sub>, 24 hours: 285 mg/l, Spirostomum ambiguum  
EC<sub>50</sub>, 48 hours: 281 mg/l, Spirostomum ambiguum  
REACH dossier information.

###### Chronic aquatic toxicity

**Chronic toxicity - fish early life stage** NOEC, 29 days: 1.05 mg/l, Cyprinus carpio (Common carp)  
REACH dossier information.

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 80 days: 9.86 mg/l, <i>Penaeus monodon</i> (Asian tiger shrimp) EC <sub>50</sub> , 80 days: 114.9 mg/l, <i>Penaeus monodon</i> (Asian tiger shrimp) LC <sub>50</sub> , 80 days: > 95.6 mg/l, <i>Penaeus monodon</i> (Asian tiger shrimp) REACH dossier information.
---	--

### Morpholine

#### Acute aquatic toxicity

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 179 mg/l, <i>Valamugil engeli</i> REACH dossier information.
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 45 mg/l, <i>Daphnia magna</i> REACH dossier information.
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 96 hours: 28 mg/l, <i>Pseudokirchneriella subcapitata</i> REACH dossier information.
<b>Acute toxicity - microorganisms</b>	EC <sub>20</sub> , 30 minutes: > 1000 mg/l, Activated sludge REACH dossier information.
<b><u>Chronic aquatic toxicity</u></b>	
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 5 mg/l, <i>Daphnia magna</i> REACH dossier information.

## 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

### Ecological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

<b>Phototransformation</b>	Water - DT <sub>50</sub> : 1906 days REACH dossier information. Calculation method.
<b>Biodegradation</b>	Water - Degradation (100%): 385.5 hours REACH dossier information. The substance is readily biodegradable.

#### 2-Butoxyethanol

<b>Biodegradation</b>	Water - Degradation (18.3%): 3 days Water - Degradation (40.5%): 6 days Water - Degradation (43%): 8 days Water - Degradation (58.7%): 11 days Water - Degradation (90.4%): 28 days REACH dossier information. The substance is readily biodegradable.
-----------------------	--

### Morpholine

<b>Phototransformation</b>	Water - DT <sub>50</sub> : 2.79 hours Calculation method. REACH dossier information.
----------------------------	--

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

<b>Biodegradation</b>	Water - Degradation (2%): 1 day
	Water - Degradation (5.5%): 15 days
	Water - Degradation (34.1%): 18 days
	Water - Degradation (93%): 25 days
	REACH dossier information. The substance is readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** Not determined.

### Ecological information on ingredients.

#### Hydrocarbons, C3-4-rich, petroleum distillate

**Partition coefficient** log Pow: 2.3058 REACH dossier information. QSAR

#### 2-Butoxyethanol

**Partition coefficient** log Pow: 0.81 REACH dossier information.

#### Morpholine

**Bioaccumulative potential** BCF:  $\leq 0.65$ , Cyprinus carpio (Common carp) REACH dossier information.

**Partition coefficient** log Pow: -2.55 REACH dossier information.

### 12.4. Mobility in soil

**Mobility** The product has poor water-solubility.

### Ecological information on ingredients.

#### 2-Butoxyethanol

**Surface tension** 65.03 mN/m @ 20°C REACH dossier information.

#### Morpholine

**Adsorption/desorption coefficient** log Koc -0.6196 Calculation method. REACH dossier information.

**Henry's law constant** 0.0116 Pa m<sup>3</sup>/mol @ 25°C REACH dossier information. Calculation method.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** Not determined.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations Do not puncture or incinerate, even when empty.

## SECTION 14: Transport information

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### 14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

### 14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

#### Transport labels



### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

### National regulations

EH40/2005 Workplace exposure limits.

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended).

The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

### Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ATE: Acute Toxicity Estimate.

DNEL: Derived No Effect Level.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

BCF: Bioconcentration Factor.

### Classification procedures according to SI 2019 No. 720

Aerosol 1 - H222, H229: Expert judgement.

### Revision comments

Section 1: Identification of the substance/mixture and of the company/undertaking // 1.3. Details of the supplier of the safety data sheet.

### Revision date

02/06/2021

### Revision

13

### Supersedes date

19/03/2020

### SDS number

415

### Hazard statements in full

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H226 Flammable liquid and vapour.

H229 Pressurised container: may burst if heated.

H272 May intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

## STP® Tuff Stuff Multi-Purpose Foam Cleaner

The information supplied here is accurate to the best knowledge and belief of Energizer Trading Ltd, it is however, not intended as a warranty or representation, and should not be construed as such, for which Energizer Trading Ltd assumes any legal responsibility. Any information or advice obtained from Energizer Trading Ltd other than by means of this publication, and whether relating to Energizer Trading Ltd's products or other materials is also given in good faith. It remains at all times the responsibility of the customer, and user, to ensure that the materials are suitable for the particular purpose intended. Materials not manufactured, or supplied, by Energizer Trading Ltd when used instead of, or in conjunction with materials supplied by Energizer Trading Ltd, it is the customer's responsibility to ensure that all technical, and other information related to such materials is obtained from the manufacturer or supplier. Energizer Trading Ltd accepts no liability for the data contained within this document, as the information herein may be applied under conditions beyond our control, and in situations with which we may be unfamiliar. The information contained within this document is furnished upon condition that the customer and user of this product makes his own determination of the suitability of the product for his particular purpose.