



## Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 29-6122-5  | <b>Version number:</b>  | 5.02       |
| <b>Revision date:</b>  | 09/06/2023 | <b>Supersedes date:</b> | 18/10/2021 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Hot Rims™ Wheel Cleaner & Tire Cleaner G95 [G9524]

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Automotive.

#### 1.3. Details of the supplier of the safety data sheet

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

This material has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

##### CLASSIFICATION:

Substance or Mixture Corrosive to Metals, Category 1 - Met. Corr. 1; H290  
Skin Corrosion/ Irritation, Category 1A - Skin Corr. 1A; H314  
Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H335  
 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

## 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

### SIGNAL WORD

DANGER.

### Symbols

GHS05 (Corrosion) | GHS07 (Exclamation mark) |

### Pictograms



| Ingredient            | CAS Nbr   | EC No.    | % by Wt |
|-----------------------|-----------|-----------|---------|
| disodium metasilicate | 6834-92-0 | 229-912-9 | < 5     |

### HAZARD STATEMENTS:

|      |  |
|------|--|
| H290 | May be corrosive to metals.                        |
| H314 | Causes severe skin burns and eye damage.           |
| H335 | May cause respiratory irritation.                  |
| H412 | Harmful to aquatic life with long lasting effects. |

### PRECAUTIONARY STATEMENTS

#### General:

|      |                                |
|------|--------------------------------|
| P102 | Keep out of reach of children. |
|------|--------------------------------|

#### Prevention:

|       |   |
|-------|---|
| P234  | Keep only in original packaging.                                      |
| P260E | Do not breathe vapour or spray.                                       |
| P280D | Wear protective gloves, protective clothing, and eye/face protection. |

#### Response:

|                    |  |
|--------------------|--|
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.                           |
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310               | Immediately call a POISON CENTRE or doctor/physician.  |

#### Disposal:

|      |  |
|------|--|
| P501 | Dispose of contents/container in accordance with applicable local/regional/national/international regulations. |
|------|--|

2% of the mixture consists of components of unknown acute dermal toxicity.

### Notes on labelling

Updated per Regulation (EC) No. 648/2004 as amended for Great Britain on detergents.

Ingredients required per 648/2004: <5%: Anionic surfactant, EDTA and salts thereof, non-ionic surfactant.

### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Ingredient  | Identifier(s)                             | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB                 |
|---|---|-------|--|
| disodium metasilicate   | (CAS-No.) 6834-92-0<br>(EC-No.) 229-912-9 | < 5   | Skin Corr. 1B, H314<br>STOT SE 3, H335<br>Met. Corr. 1, H290                                       |
| 2-(propyloxy)ethanol  | (CAS-No.) 2807-30-9<br>(EC-No.) 220-548-6 | < 5   | Acute Tox. 4, H312<br>Eye Irrit. 2, H319<br>Flam. Liq. 3, H226                                     |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | (EC-No.) 931-534-0                        | 1 - 5 | Skin Irrit. 2, H315<br>Eye Dam. 1, H318  |
| tetrasodium ethylene diamine tetraacetate                             | (CAS-No.) 64-02-8<br>(EC-No.) 200-573-9   | < 5   | Acute Tox. 4, H302<br>Eye Dam. 1, H318<br>Acute Tox. 4, H332<br>STOT RE 2, H373                    |
| N,N-Dimethyldecylamine N-oxide  | (CAS-No.) 2605-79-0<br>(EC-No.) 220-020-5 | < 2   | Acute Tox. 4, H302<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400,M=1<br>Aquatic Chronic 1, H410,M=1 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

### Specific Concentration Limits

| Ingredient  | Identifier(s)      | Specific Concentration Limits  |
|---|--------------------|--|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | (EC-No.) 931-534-0 | (C >= 5%) Skin Irrit. 2, H315<br>(C >= 38%) Eye Dam. 1, H318<br>(5% <= C < 38%) Eye Irrit. 2, H319 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

#### **Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### **If swallowed**

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

The most important symptoms and effects based on the GB CLP classification include:

Irritating to the respiratory tract (coughing, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain). Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

#### **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## **SECTION 5: Fire-fighting measures**

#### **5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### **5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

#### **Hazardous Decomposition or By-Products**

| <u>Substance</u> | <u>Condition</u>   |
|------------------|--------------------|
| Carbon monoxide  | During combustion. |
| Carbon dioxide.  | During combustion. |

#### **5.3. Advice for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### **6.3. Methods and material for containment and cleaning up**

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralise spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralising agent until reaction stops. Let cool before collecting. Working from around the edges of the spill inward, cover

with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Absorb spillage to prevent material damage. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible.

#### **6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Keep away from reactive metals (eg. Aluminium, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

### **7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Store away from heat. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store away from acids. Store away from oxidising agents.

### **7.3. Specific end use(s)**

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### **8.2. Exposure controls**

#### **8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### **8.2.2. Personal protective equipment (PPE)**

##### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

##### *Applicable Norms/Standards*

Use eye/face protection conforming to EN 166

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material         | Thickness (mm)    | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

*Applicable Norms/Standards*

Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Nitrile boots.

Apron - polymer laminate

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

*Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

|  |  |
|--|--|
| Physical state                         | Liquid.  |
| Colour                                 | Clear Colorless                                    |
| Odor                                   | Mild Odor  |
| Odour threshold                        | No data available.                                 |
| Melting point/freezing point           | No data available.                                 |
| Boiling point/boiling range            | > 100 °C   |
| Flammability (solid, gas)              | Not applicable.                                    |
| Flammable Limits(LEL)                  | No data available.                                 |
| Flammable Limits(UEL)                  | No data available.                                 |
| Flash point                            | >= 93.3 °C [Test Method:Pensky-Martens Closed Cup] |
| Autoignition temperature               | No data available.                                 |
| Decomposition temperature              | No data available.                                 |
| pH                                     | 13.56  |
| Kinematic Viscosity                    | No data available.                                 |
| Water solubility                       | Complete   |
| Solubility- non-water                  | No data available.                                 |
| Partition coefficient: n-octanol/water | No data available.                                 |
| Vapour pressure                        | No data available.                                 |
| Density                                | 1.02 - 1.03 g/ml                                   |
| Relative density                       | 1.02 - 1.03 [Ref Std: WATER=1]                     |

**Relative Vapour Density***No data available.***9.2. Other information****9.2.2 Other safety characteristics****EU Volatile Organic Compounds***No data available.***Evaporation rate***No data available.***Molecular weight***No data available.***Percent volatile**

85 % weight

**SECTION 10: Stability and reactivity****10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

**10.2 Chemical stability**

Stable.

**10.3 Possibility of hazardous reactions**

Hazardous polymerisation may occur.

**10.4 Conditions to avoid**

Heat.

**10.5 Incompatible materials**

Strong acids.

Strong oxidising agents.

**10.6 Hazardous decomposition products****Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

**Skin contact**

Corrosive (skin burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

**Eye contact**

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

**Ingestion**

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

**Additional Health Effects:****Prolonged or repeated exposure may cause target organ effects:**

Respiratory effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish coloured skin (cyanosis), sputum production, changes in lung function tests, and respiratory failure.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name  | Route                          | Species | Value  |
|---|--------------------------------|---------|--|
| Overall product   | Dermal                         |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product   | Inhalation-Vapour(4 hr)        |         | No data available; calculated ATE >50 mg/l     |
| Overall product   | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| disodium metasilicate   | Dermal                         | Rabbit  | LD50 > 4,640 mg/kg                             |
| disodium metasilicate   | Ingestion                      | Rat     | LD50 500 mg/kg                                 |
| 2-(propyloxy)ethanol  | Dermal                         | Rabbit  | LD50 1,337 mg/kg                               |
| 2-(propyloxy)ethanol  | Inhalation-Vapour (4 hours)    | Rat     | LC50 > 11.1 mg/l                               |
| 2-(propyloxy)ethanol  | Ingestion                      | Rat     | LD50 3,089 mg/kg                               |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Dermal                         | Rabbit  | LD50 6,300 mg/kg                               |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 52 mg/l                                 |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion                      | Rat     | LD50 2,079 mg/kg                               |
| tetrasodium ethylene diamine tetraacetate                             | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 1.5 mg/l                                |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion                      | Rat     | LD50 1,658 mg/kg                               |
| N,N-Dimethyldecylamine N-oxide  | Dermal                         | Rat     | LD50 > 2,000 mg/kg                             |
| N,N-Dimethyldecylamine N-oxide  | Ingestion                      | Rat     | LD50 >300, <2000 mg/kg                         |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name  | Species       | Value                     |
|---|---------------|---------------------------|
| Overall product   | In vitro data | Corrosive                 |
| disodium metasilicate   | Rabbit        | Corrosive                 |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Rabbit        | Irritant                  |
| tetrasodium ethylene diamine tetraacetate                             | Rabbit        | No significant irritation |
| N,N-Dimethyldecylamine N-oxide  | Rabbit        | No significant irritation |

**Serious Eye Damage/Irritation**

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|



|   |                        |           |
|---|------------------------|-----------|
|   |                        |           |
| Overall product   | similar health hazards | Corrosive |
| disodium metasilicate   | In vitro data          | Corrosive |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Rabbit                 | Corrosive |
| tetrasodium ethylene diamine tetraacetate                             | Rabbit                 | Corrosive |
| N,N-Dimethyldecylamine N-oxide  | In vitro data          | Corrosive |

### Skin Sensitisation

| Name  | Species          | Value          |
|---|------------------|----------------|
| disodium metasilicate   | Mouse            | Not classified |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Guinea pig       | Not classified |
| tetrasodium ethylene diamine tetraacetate                             | Human and animal | Not classified |
| N,N-Dimethyldecylamine N-oxide  | Guinea pig       | Not classified |

### Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

### Germ Cell Mutagenicity

| Name  | Route    | Value  |
|---|----------|--|
| disodium metasilicate   | In Vitro | Not mutagenic  |
| disodium metasilicate   | In vivo  | Not mutagenic  |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | In Vitro | Not mutagenic  |
| tetrasodium ethylene diamine tetraacetate                             | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| tetrasodium ethylene diamine tetraacetate                             | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| N,N-Dimethyldecylamine N-oxide  | In Vitro | Not mutagenic  |

### Carcinogenicity

| Name  | Route     | Species                 | Value            |
|---|-----------|-------------------------|------------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Rat                     | Not carcinogenic |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion | Multiple animal species | Not carcinogenic |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name  | Route     | Value                                  | Species | Test result           | Exposure Duration    |
|---|-----------|--|---------|-----------------------|----------------------|
| disodium metasilicate   | Ingestion | Not classified for development         | Mouse   | NOAEL 200 mg/kg/day   | during gestation     |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion | Not classified for development         | Mouse   | NOAEL 2 mg/kg/day     | during organogenesis |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion | Not classified for female reproduction | Rat     | NOAEL 250 mg/kg/day   | 4 generation         |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 250 mg/kg/day   | 4 generation         |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion | Not classified for development         | Rat     | LOAEL 1,000 mg/kg/day | during gestation     |

## Target Organ(s)

## Specific Target Organ Toxicity - single exposure

| Name  | Route      | Target Organ(s)        | Value  | Species                 | Test result         | Exposure Duration |
|---|------------|------------------------|--|-------------------------|---------------------|-------------------|
| Overall product   | Inhalation | respiratory irritation | May cause respiratory irritation   | similar health hazards  | NOAEL not available |                   |
| disodium metasilicate   | Inhalation | respiratory irritation | May cause respiratory irritation   | official classification | NOAEL Not available |                   |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |
| tetrasodium ethylene diamine tetraacetate                             | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | Irritation Positive |                   |
| N,N-Dimethyldecylamine N-oxide  | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |

## Specific Target Organ Toxicity - repeated exposure

| Name  | Route      | Target Organ(s)   | Value  | Species           | Test result                | Exposure Duration |
|---|------------|---|--|-------------------|----------------------------|-------------------|
| disodium metasilicate   | Ingestion  | kidney and/or bladder   | Some positive data exist, but the data are not sufficient for classification | Dog               | LOAEL 2,400 mg/kg/day      | 4 weeks           |
| disodium metasilicate   | Ingestion  | endocrine system   blood  | Not classified   | Rat               | NOAEL 804 mg/kg/day        | 3 months          |
| disodium metasilicate   | Ingestion  | heart   liver   | Not classified   | Rat               | NOAEL 1,259 mg/kg/day      | 8 weeks           |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | Ingestion  | endocrine system   hematopoietic system   liver   immune system   eyes   kidney and/or bladder  | Not classified   | Rat               | NOAEL 195 mg/kg/day        | 2 years           |
| tetrasodium ethylene diamine tetraacetate                             | Inhalation | respiratory system  | Causes damage to organs through prolonged or repeated exposure               | Rat               | NOAEL 3 mg/m <sup>3</sup>  | 13 weeks          |
| tetrasodium ethylene diamine tetraacetate                             | Inhalation | liver   heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   immune system   muscles   nervous system   eyes   kidney and/or bladder   vascular system | Not classified   | Rat               | NOAEL 15 mg/m <sup>3</sup> | 13 weeks          |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion  | hematopoietic system   liver  | Not classified   | Rat               | NOAEL 2,500 mg/kg/day      | 13 weeks          |
| tetrasodium ethylene diamine tetraacetate                             | Ingestion  | heart   gastrointestinal tract   muscles   kidney and/or bladder   respiratory system   | Not classified   | Rat               | NOAEL 5,000 mg/kg/day      | 13 weeks          |
| N,N-Dimethyldecylamine N-oxide  | Dermal     | skin  | Not classified   | Mouse             | NOAEL 1.33 mg/application  | 91 days           |
| N,N-Dimethyldecylamine N-oxide  | Ingestion  | eyes  | Some positive data exist, but the data are not sufficient for classification | similar compounds | NOAEL 88 mg/kg/day         | 90 days           |

|                                   |           |  |                |     |                        |         |
|-----------------------------------|-----------|--|----------------|-----|------------------------|---------|
| N,N-Dimethyldecylamine<br>N-oxide | Ingestion | gastrointestinal tract<br>  hematopoietic<br>system   liver  <br>immune system  <br>kidney and/or<br>bladder | Not classified | Rat | NOAEL 300<br>mg/kg/day | 14 days |
|-----------------------------------|-----------|--|----------------|-----|------------------------|---------|

**Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

| Material  | CAS #     | Organism         | Type         | Exposure | Test endpoint | Test result |
|---|-----------|------------------|--------------|----------|---------------|-------------|
| 2-(propyloxy)ethanol  | 2807-30-9 | Eastern oyster   | Estimated    | 96 hours | LC50          | 89.4 mg/l   |
| 2-(propyloxy)ethanol  | 2807-30-9 | Activated sludge | Experimental | 16 hours | IC50          | >1,000 mg/l |
| 2-(propyloxy)ethanol  | 2807-30-9 | Fathead minnow   | Experimental | 96 hours | LC50          | >5,000 mg/l |
| 2-(propyloxy)ethanol  | 2807-30-9 | Green algae      | Experimental | 72 hours | EC50          | >100 mg/l   |
| 2-(propyloxy)ethanol  | 2807-30-9 | Water flea       | Experimental | 48 hours | EC50          | >5,000 mg/l |
| 2-(propyloxy)ethanol  | 2807-30-9 | Green algae      | Experimental | 72 hours | NOEC          | 100 mg/l    |
| disodium metasilicate   | 6834-92-0 | Green algae      | Estimated    | 72 hours | EC50          | >345.4 mg/l |
| disodium metasilicate   | 6834-92-0 | Zebra Fish       | Experimental | 96 hours | LC50          | 210 mg/l    |
| disodium metasilicate   | 6834-92-0 | Green algae      | Estimated    | 72 hours | EC10          | 34.5 mg/l   |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Diatom           | Estimated    | 72 hours | EC50          | 1.97 mg/l   |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Zebra Fish       | Estimated    | 96 hours | LC50          | 4.2 mg/l    |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Water flea       | Experimental | 48 hours | EC50          | 4.53 mg/l   |
| Sulfonic acids, C14-16-alkane   | 931-534-0 | Diatom           | Estimated    | 72 hours | EC10          | 1.2 mg/l    |

|   |           |                  |                    |            |       |                           |
|---|-----------|------------------|--------------------|------------|-------|---------------------------|
| hydroxy and C14-16-alkene, sodium salts                               |           |                  |                    |            |       |                           |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Water flea       | Experimental       | 21 days    | NOEC  | 2.4 mg/l                  |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Bluegill         | Experimental       | 96 hours   | LC50  | 401.7 mg/l                |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Green algae      | Experimental       | 72 hours   | ErC50 | >100 mg/l                 |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Water flea       | Experimental       | 24 hours   | EC50  | 610 mg/l                  |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Water flea       | Analogous Compound | 21 days    | NOEC  | 25 mg/l                   |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Zebra Fish       | Analogous Compound | 35 days    | NOEC  | 35.1 mg/l                 |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Green algae      | Experimental       | 72 hours   | ErC10 | >100 mg/l                 |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Plant            | Analogous Compound | 21 days    | NOEC  | 84 mg/kg (Dry Weight)     |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Redworm          | Analogous Compound | 14 days    | LC50  | 156.46 mg/kg (Dry Weight) |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Activated sludge | Experimental       | 30 minutes | EC10  | >1,000 mg/l               |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Green algae      | Analogous Compound | 72 hours   | ErC50 | 0.129 mg/l                |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Medaka           | Analogous Compound | 96 hours   | LC50  | 29.9 mg/l                 |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Water flea       | Analogous Compound | 48 hours   | EC50  | 2.23 mg/l                 |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Green algae      | Analogous Compound | 72 hours   | NOEC  | 0.005 mg/l                |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Water flea       | Analogous Compound | 21 days    | NOEC  | 0.36 mg/l                 |

## 12.2. Persistence and degradability

| Material  | CAS Nbr   | Test type                         | Duration | Study Type       | Test result                       | Protocol                          |
|---|-----------|-----------------------------------|----------|------------------|-----------------------------------|-----------------------------------|
| 2-(propyloxy)ethanol  | 2807-30-9 | Experimental Biodegradation       | 20 days  | BOD              | 100 %BOD/ThOD                     |                                   |
| disodium metasilicate   | 6834-92-0 | Data not available - insufficient | N/A      | N/A              | N/A                               | N/A                               |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Experimental Biodegradation       | 28 days  | CO2 evolution    | 80 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Analogous Compound Biodegradation | 28 days  | BOD              | 2 %BOD/ThOD                       | OECD 301D - Closed bottle test    |
| tetrasodium   | 64-02-8   | Experimental                      | 28 days  | Dissolv. Organic | <10 %removal of                   | OECD 302B Zahn-                   |

|   |           |   |          |                                |                                     |                                |
|---|-----------|---|----------|--------------------------------|-------------------------------------|--------------------------------|
| ethylene diamine tetraacetate             |           | Aquatic Inherent Biodegrad.                       |          | Carbon Deplet                  | DOC                                 | Wellens/EVPA                   |
| tetrasodium ethylene diamine tetraacetate | 64-02-8   | Analogous Compound Soil Inherent Biodegradability | 315 days | CO2 evolution                  | 70.5 %CO2 evolution/THCO2 evolution |                                |
| N,N-Dimethyldecylamine N-oxide            | 2605-79-0 | Experimental Biodegradation                       | 28 days  | Dissolv. Organic Carbon Deplet | 97 %removal of DOC                  | OECD 301E - Modif. OECD Screen |

### 12.3 : Bioaccumulative potential

| Material  | Cas No.   | Test type   | Duration | Study Type             | Test result | Protocol   |
|---|-----------|---|----------|------------------------|-------------|------------|
| 2-(propyloxy)ethanol  | 2807-30-9 | Experimental Bioconcentration                         |          | Log Kow                | 0.673       |            |
| disodium metasilicate   | 6834-92-0 | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 931-534-0 | Estimated Bioconcentration                            |          | Log Kow                | -1.3        |            |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Analogous Compound BCF - Fish                         | 28 days  | Bioaccumulation factor | 1.8         |            |
| tetrasodium ethylene diamine tetraacetate                             | 64-02-8   | Analogous Compound Bioconcentration                   |          | Log Kow                | -4.3        |            |
| N,N-Dimethyldecylamine N-oxide  | 2605-79-0 | Modeled Bioconcentration                              |          | Bioaccumulation factor | 182         | Catalogic™ |

### 12.4. Mobility in soil

| Material                                  | Cas No.   | Test type                           | Study Type | Test result | Protocol             |
|---|-----------|-------------------------------------|------------|-------------|----------------------|
| tetrasodium ethylene diamine tetraacetate | 64-02-8   | Analogous Compound Mobility in Soil | Koc        | 3.35 l/kg   |                      |
| N,N-Dimethyldecylamine N-oxide            | 2605-79-0 | Modeled Mobility in Soil            | Koc        | 320 l/kg    | ACD/Labs ChemSketch™ |

### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

### 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Proper destruction may require the use of additional fuel during incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the

available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

20 01 29\* Detergents containing dangerous substances

## SECTION 14: Transportation information

|  | Ground Transport (ADR)   | Air Transport (IATA)   | Marine Transport (IMDG)  |
|--|--|--|--|
| <b>14.1 UN number</b>  | UN3266   | UN3266   | UN3266   |
| <b>14.2 UN proper shipping name</b>  | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM METASILICATE)        | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM METASILICATE)        | CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM METASILICATE)        |
| <b>14.3 Transport hazard class(es)</b>   | 8  | 8  | 8  |
| <b>14.4 Packing group</b>  | III  | III  | III  |
| <b>14.5 Environmental hazards</b>  | Not Environmentally Hazardous  | Not applicable   | Not a Marine Pollutant   |
| <b>14.6 Special precautions for user</b>   | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code</b> | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>   | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>   | No data available.   | No data available.   | No data available.   |
| <b>ADR Classification Code</b>   | C5   | Not applicable.  | Not applicable.  |
| <b>IMDG Segregation Code</b>   | Not applicable.  | Not applicable.  | 18 - ALKALIS   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Global inventory status**

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

**COMAH Regulation, SI 2015/483**

Seveso hazard categories, Annex 1, Part 1  
None

Seveso named dangerous substances, Annex 1, Part 2  
None

**Regulation (EU) No 649/2012, as amended for GB**

No chemicals listed

**15.2. Chemical Safety Assessment**

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

**SECTION 16: Other information****List of relevant H statements**

|      |  |
|------|--|
| H226 | Flammable liquid and vapour.                                       |
| H290 | May be corrosive to metals.  |
| H302 | Harmful if swallowed.  |
| H312 | Harmful in contact with skin.                                      |
| H314 | Causes severe skin burns and eye damage.                           |
| H315 | Causes skin irritation.  |
| H318 | Causes serious eye damage.   |
| H319 | Causes serious eye irritation.                                     |
| H332 | Harmful if inhaled.  |
| H335 | May cause respiratory irritation.                                  |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.  |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H412 | Harmful to aquatic life with long lasting effects.                 |

**Revision information:**

GB Section 02: CLP Ingredient table information was added.  
GB Section 02: CLP Remark(phrase) information was added.  
GB Section 02: Other hazards phrase information was added.  
GB Section 04: First Aid - Symptoms and Effects (GB CLP) information was added.  
GB Section 04: Information on toxicological effects information was added.  
GB Section 12: Classification Warning information was added.  
GB Section 15: Chemical Safety Assessment information was added.  
GB Section 15: Label remarks and EU Detergent information was added.  
GBSDS Section 14 Transport in bulk - Main Heading information was added.  
GBSDS Section 14 UN Number information was added.  
CLP: Ingredient table information was deleted.  
CLP Remark(phrase) information was deleted.

Label: CLP Percent Unknown information was deleted.  
Section 02: Label Elements: GB Percent Unknown information was added.  
Section 2: Other hazards phrase information was deleted.  
Section 3: Composition/ Information of ingredients table information was added.  
Section 3: Composition/ Information of ingredients table information was deleted.  
Section 03: SCL table information was added.  
Section 03: SCL table information was deleted.  
Section 04: First Aid - Symptoms and Effects (CLP) information was deleted.  
Section 04: Information on toxicological effects information was deleted.  
Section 5: Fire - Advice for fire fighters information information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 9: Vapour density value information was modified.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Carcinogenicity Table information was modified.  
Section 11: Classification disclaimer information was deleted.  
Section 11: GB Classification disclaimer information was added.  
Section 11: GB No endocrine disruptor information available warning information was added.  
Section 11: Germ Cell Mutagenicity Table information was modified.  
Section 11: No endocrine disruptor information available warning information was deleted.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was added.  
Section 11: Target Organs - Repeated Table information was deleted.  
Section 11: Target Organs - Single Table information was modified.  
Section 12: 12.6. Endocrine Disrupting Properties information was deleted.  
Section 12: 12.6. Other adverse effects information was added.  
Section 12: 12.7. Other adverse effects information was deleted.  
Section 12: Classification Warning information was deleted.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Mobility in soil information information was modified.  
Prints No Data if Adverse effects information is not present information was deleted.  
Section 12: No endocrine disruptor information available warning information was added.  
Section 12: No endocrine disruptor information available warning information was deleted.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Bioaccumulative potential information information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 14 Classification Code – Regulation Data information was modified.  
Section 14 Hazard Class + Sub Risk – Regulation Data information was modified.  
Section 14 Hazardous/Not Hazardous for Transportation information was modified.  
Section 14 Multiplier – Main Heading information was deleted.  
Section 14 Multiplier – Regulation Data information was deleted.  
Section 14 Other Dangerous Goods – Regulation Data information was modified.  
Section 14 Packing Group – Regulation Data information was modified.  
Section 14 Proper Shipping Name information was modified.  
Section 14 Segregation – Regulation Data information was modified.  
Section 14 Transport Category – Main Heading information was deleted.  
Section 14 Transport Category – Regulation Data information was deleted.  
Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.  
Section 14 Tunnel Code – Main Heading information was deleted.  
Section 14 Tunnel Code – Regulation Data information was deleted.  
Section 14 UN Number Column data information was modified.  
Section 14 UN Number information was deleted.  
Section 14: Transportation classification information was deleted.  
Section 15: Chemical Safety Assessment information was deleted.



Section 15: Label remarks and EU Detergent information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

Section 16: Web address information was added.

Section 16: Web address information was deleted.

Section 2: No PBT/vPvB information available warning information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**Meguiar's, Inc. SDSs for Great Britain are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**

For Northern Ireland documents, please contact your 3M representative to obtain a copy.