

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1



First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1. 1. Preparation name: CABLE PROTECTOR
1. 1. 1. Product code nr: MT059
1. 2. Details of the supplier of the safety data sheet: SELD
6 rue Jules Guesde – ZI du Pontet
F-69360 Saint Symphorien d'Ozon
France
Phone: +33 (0)4 37 25 16 16
Fax: +33 (0)4 78 21 80 70
E-mail: contact@seld-production.com
1. 3. Emergency telephone number: Emergency phone number (to be used by the practising doctor):
UK - National Poisons Information Service Phone: 44 / 191 22 5131
1. 4. Relevant identified uses of the substance or mixture and uses advised against: For more information, to consult the chart.

2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or mixture: * Flam. Aerosol 2 / GHS02 - H223 *
* STOT SE 3 / GHS07 - H336 *
* Aquatic. Chronic 3 / H412 *
2. 2. Label elements:
-  
Warning
2. 2. 1. Symbol(s) and signal word: .
2. 2. 2. Hazard statement: H223 Flammable aerosol.
H229 Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.
H336 May cause drowsiness or dizziness.
2. 2. 3. Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P273 Avoid release to the environment.
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
P271 Use only outdoors or in a well-ventilated area.
2. 2. 4. Response: P304 IF INHALED:
P340 Remove person to fresh air and keep comfortable for breathing.
P312a Call a POISON CENTER / doctor if you feel unwell.
2. 2. 5. Storage: P410 Protect from sunlight.
P412 Do not expose to temperatures exceeding 50 °C / 122°F.
P403 Store in a well-ventilated place.
P233 Keep container tightly closed.
P405 Store locked up.
2. 2. 6. Disposal: P501a Dispose of contents / container in accordance with local / regional / national / international regulation
2. 3. Further information(s): EUH 066 - Repeated exposure may cause skin dryness or cracking.
2. 4. Other hazards: Vapour / air mixture is flammable.
Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.

3. COMPOSITION / INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

3. 1. Component(s) contributing to the hazard:

- HYDROCARBURES, C9-C11, N-ALCANES, ISOALCANES, CYCLIQUES, <2% AROMATIQUES
 - CE nr: 919-857-5
 - REACH registration number : 01-2119463258-33
 - Conc. (weight %) : Conc. (% pds) : % 50 < C ≤ 60
 - GHS (Globally Harmonized System)
 - * GHS02 * Liq. infl. 3 - H226
 - * GHS07 * STOT un. 3. - H336
 - * GHS08 * Tox. asp. 1 - H304
 - Miscellaneous :
 - LD50 / Dermal / Rabbit = >5000 mg/kg
 - LD50 / Oral / Rat = >5000 mg/kg
 - LC50 / 96h / Oncorhynchus mykiss = >1000 mg/l
 - CE50 / 48h / Daphnia magna = >1000 mg/l
 - CEr50 / 72h / Algae = >1000 mg/l
 - Additional phrase(s)
 - EUH 066 - Repeated exposure may cause skin dryness or cracking.
- Dioxyde de carbone
 - CE nr: 204-696-9 - CAS nr: 124-38-9
 - Conc. (weight %) : Conc. (% pds) : % 1 < C ≤ 5
 - GHS (Globally Harmonized System)
 - * GHS04 - Gaz comprimés * Gaz ss pr. - H280
 - Miscellaneous :
 - Exposure limit values
 - T.L.V. ppm = 5000 - T.L.V. mg/m³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m³ = 54000
- Lavande, Lavandula hybrida, extraits
 - CE nr: 294-470-6 - CAS nr: 91722-69-9
 - Conc. (weight %) : Conc. (% pds) : % 1 < C ≤ 5
 - GHS (Globally Harmonized System)
 - * GHS08 * Tox. asp. 1 - H304
 - * GHS07 * Irr. cut. 2 - H315
 - * GHS09 * Tox. aq. chron. 1 - H410
- Gasoline d'eucalyptus
 - CAS nr: 8000-48-4
 - Conc. (weight %) : Conc. (% pds) : % 1 < C ≤ 5
 - GHS (Globally Harmonized System)
 - * GHS02 * Liq. infl. 3 - H226
 - * GHS08 * Tox. asp. 1 - H304
- Gasoline peppermint
 - CAS nr: 8006-90-4
 - Conc. (weight %) : Conc. (% pds) : % 0 < C ≤ 1
 - GHS (Globally Harmonized System)
 - * GHS07 * Sens. cut. 1 - H317 * Irr. cut. 2 - H315
 - * GHS09 * Tox. aq. chron. 1 - H410

The wording of the sentences are mentioned at heading 16.

4. FIRST AID MEASURES

4. 1. Description of first aid measures:

- | | |
|--------------------------|--|
| 4. 1. 1. General advice: | In all cases of doubt, or when symptoms persist, seek medical attention.
For symptom description, see item 11. |
| 4. 1. 2. Inhalation: | Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth.
If unconscious, place in the recovery position and seek medical advice. |
| 4. 1. 3. Skin contact: | Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary skin cleaner. |

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

4. 1. 4. Eye contact:	Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.
4. 1. 5. Ingestion:	Rinse mouth, drink a lot of water, do not vomit, keep quiet, and go immediately to hospital or to a doctor.
4. 2. Most important symptoms and effects, both acute and delayed:	For symptom description, see item 11.
4. 2. 1. Inhalation:	narcotic effects
4. 2. 2. Skin contact:	Frequent or prolonged contacts may defat and dry the skin, leading to discomfort and dermatitis.
4. 2. 3. Eyes contact:	Splashes in the eyes may cause irritation and reversible local damage.
4. 2. 4. Ingestion:	May cause nausea, vomiting, sore throat, stomach-ache and eventually a perforation of the intestine.
4. 3. Indication of any immediate medical attention and special treatment needed :	In all cases of doubt, or when symptoms persist, seek medical attention.

5. FIREFIGHTING MEASURES

5. 1. Extinguishing media:	alcohol-resistant foam, carbon dioxide (CO ₂), powder, water spray.
5. 2. Special hazards arising from the substance or mixture:	Be careful of explosion risk. Decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Fire will produce dense black smoke.
5. 3. Advice for firefighters:	Use a self-contained breathing apparatus and also a protective suit.
5. 4. Specific method(s):	Cool closed containers exposed to fire with water spray.
5. 5. Extinguishing media which must NOT be used for safety reasons:	Do not use water jet.

6. ACCIDENTAL RELEASE MEASURES

6. 1. Personal precautions, protective equipment and emergency procedures:	Evacuate personnel to a safe area. Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.
6. 2. Environmental precautions:	Prevent liquid from entering sewers, watercourses, underground or low areas.
6. 3. Methods and material for containment and cleaning up:	Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Clean preferably with a detergent - Avoid the use of solvents.
6. 4. Reference to other sections:	Concerning disposal elimination after cleaning, see item 13.

7. HANDLING AND STORAGE

7. 1. Handling:	
7. 1. 1. Precautions for safe handling:	Smoking, eating and drinking is prohibited in areas of storage and use. Avoid contact with skin and eyes. For personal protection, see Section 8. The Manual Handling Operations Regulations may apply to the handling of containers of this product. Refer to the guide weight indicated on the container when carrying out assessments.
7. 1. 2. Technical condition(s):	The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

7. 2. Storage:

- | | |
|--|---|
| 7. 2. 1. Conditions for safe storage, including any incompatibilities: | No smoking. Prevent unauthorised access. |
| 7. 2. 2. Storage condition(s): | Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Store at temperatures between 5°C and 50°C |
| 7. 2. 3. Separation of incompatible product(s): | Store separately from oxidising agents and strongly alkaline and strongly acidic materials. |
| 7. 2. 4. Packaging / tank material: | made of the same material as the supply container. |
| 7. 3. Specific end use(s): | None under normal use. |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:

- | | |
|-----------------------------|---|
| 8. 1. 1. Exposure limit(s): | <ul style="list-style-type: none">• Méthylal :
T.L.V. ppm = 1000 - T.L.V. mg/m³ = 3110• Dioxyde de carbone :
T.L.V. ppm = 5000 - T.L.V. mg/m³ = 9000 - S.T.E.L ppm = 30000 - S.T.E.L mg/m³ = 54000 |
|-----------------------------|---|

No data available.

8. 2. Exposure controls:

- | | |
|--|---|
| 8. 2. 1. Appropriate engineering controls: | Ensure adequate ventilation, especially in confined areas. |
| 8. 2. 2. Eye protection: | Eye protection designed to protect against exposure to dusts should be worn when there is a likelihood of exposure. |
| 8. 2. 3. Respiratory protection: | Not necessary with sufficient ventilation. |
| 8. 2. 4. Hand protection: | Wear suitable gloves. |
| 8. 2. 5. Skin and body protection: | Wear suitable protective clothing |
| 8. 3. Environmental exposure controls: | There is no data available on the product itself. |

9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

- | | |
|--|---|
| 9. 1. 1. Physical state: | aerosol: liquid + propellant gas no flammable |
| 9. 1. 2. Colour: | clear and colourless |
| 9. 1. 3. Odour: | lavender and mint-like |
| 9. 1. 4. Melting point / freezing point: | There is no data available on the product itself. |
| 9. 1. 5. Boiling point or initial boiling point and boiling range: | There is no data available on the product itself. |
| 9. 1. 6. Flammability: | There is no data available on the product itself. |
| 9. 1. 7. Lower and upper explosion limit: | 1,1 -13 volume % |
| 9. 1. 8. Flash point: | Not determined. |
| 9. 1. 9. Auto-ignition temperature: | There is no data available on the product itself. |
| 9. 1. 10. Decomposition temperature: | There is no data available on the product itself. |
| 9. 1. 11. PH: | Not applicable. |
| 9. 1. 12. Solubility: | ^KA88001^KA88001 |

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

9. 1. 13. Water solubility:	immiscible
9. 1. 14. Fat solubility:	Not applicable.
9. 1. 15. Solvent solubility:	soluble in some specific organic solvents
9. 1. 16. Partition coefficient n-octanol/water (log value):	There is no data available on the product itself.
9. 1. 17. Vapour pressure:	There is no data available on the product itself.
9. 1. 18. Relative vapour density:	There is no data available on the product itself.
9. 1. 19. Density and/or relative density:	0.8
9. 1. 20. Particle characteristics:	There is no data available on the product itself.
9. 1. 21. Kinematic viscosity:	Not determined.
9. 2. Other information:	
9. 3. Other information:	Chemical heat of combustion: 14.8 KJ/g Outdistance of ignition: 60 cm

10. STABILITY AND REACTIVITY

10. 1. Reactivity:	No decomposition if stored normally.
10. 2. Chemical stability:	Stable under the recommended storage and handling conditions. (See Section 7).
10. 3. Possibility of hazardous reactions:	None under normal use.
10. 4. Conditions to avoid:	Avoid temperature above 50°C
10. 5. Incompatible materials:	Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction.
10. 6. Hazardous decomposition products:	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide..

11. TOXICOLOGICAL INFORMATION

11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:	There is no data available on the product itself.
11. 1. 1. Inhalation:	Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : OECD guiding line 403
11. 1. 2. Skin contact:	Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : LD50/dermal/rabbit = > 2000 mg/kg
11. 1. 3. Eyes contact:	No data available.
11. 1. 4. Ingestion:	Hdrocarbures, C10-C13, N-alcanes, isoalcanes, cycliques, <2% aromatiques (EC 918-481-9) : LD50/oral/rat = > 5000 mg/kg

12. ECOLOGICAL INFORMATION

12. 1. Toxicity:	May be harmful to aquatic organisms, to flora, to soil organisms.
12. 2. Persistence and degradability:	Product has only a limited biodegradability in soil and water.
12. 3. Bioaccumulative potential:	Slightly bioaccumulable

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

12. 4. Mobility in soil:	There is no data available on the product itself.
12. 5. Results of PBT and vPvB assessment:	This product n' is not a substance PBT or vPvB, or n' in does not contain.
12. 6. Endocrine disrupting properties:	There is no data available on the product itself.
12. 7. Other adverse effects:	Ecological problems are not know n or expected under normal use.
12. 7. 1. Toxicity to fish:	WGK 1 (D)
12. 8. General information(s):	There is no data available on the product itself. The product should not be allow ed to enter drains or water courses or be deposited w here it can affect ground or surface w aters.

13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods:	Collect all waste in suitable and labelled containers and dispose according to local legislation.
13. 2. Contaminated packaging:	Empty containers can be dumped according to local legislation.

14. TRANSPORT INFORMATION

14. 1. General information(s):	Transport follow ed ADR, IMDG, IATA
14. 2. UN number or ID number:	1950
14. 2. 1. UN proper shipping name:	AEROSOLS
14. 3. Land (Road / Railw ay: ADR/RID):	
14. 3. 1. Transport hazard class(es):	2
14. 3. 2. ADR/RID-Labels:	2.1
14. 3. 3. Classification code:	5F
14. 3. 4. Packing instructions:	LQ2
14. 4. Sea (IMDG):	
14. 4. 1. Class:	SP63
14. 4. 2. EmS number:	F-D, S-U
14. 4. 3. IMDG-Label(s):	SP63
14. 5. Air (ICAO/IATA):	
14. 5. 1. ICAO/IATA class:	2.1
14. 5. 2. Important remarks:	A145, A153
14. 6. Environmental hazards:	see item nr 12
14. 7. Special precautions for user:	Concerning personal protective equipment to use, see item 8.
14. 8. Maritime transport in bulk according to IMO instruments:	Not applicable.

15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture:	Labelling aerosol according to the directive 2008/47/CE of the commission of April 8, 2008 Payment 1907/2006 concerning l' recording, l' evaluation and l' authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.
15. 2. Chemical safety assessment:	No data available.

16. OTHER INFORMATION

SAFETY DATA SHEET

CABLE PROTECTOR

Version:1

First edition date: 04/01/2020

RE EC/2016-918 - CLP 1272/2008

16. 1. Text of the phrases listed in section 3:	H280 Contains gas under pressure; may explode if heated. H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H315 Causes skin irritation. H410 Very toxic to aquatic life with long lasting effects.
16. 2. Important remarks:	As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present state of knowledge and current national legislation it provides guidance on health safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.
16. 3. Restrictions:	This information relates to the specific material designated and may not be valid in combination with other product(s).
16. 4. History:	
16. 4. 1. First edition date:	04/01/2020
16. 4. 2. Version:	1
16. 5. Written by:	SELD