



# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 3-7-2018 Revision date: 21-7-2021 Supersedes version of: 6-2-2020 Version: 1.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Kroon-Oil Antifreeze SP 14  
UFI : G5F0-30A2-T00J-U5FM  
Product code : 10.10.03  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Antifreeze

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV  
Dolleloorweg 15  
7602 EC Almelo - Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon-oil.nl](mailto:vib@kroon-oil.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company                                                                         | Address                                  | Emergency number                                                                                       | Comment |
|----------------|----------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                     | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | National Poisons Information Service<br>(Cardiff Centre)<br>Gwenwyn Ward, Llandough Hospital | Penarth<br>CF64 2XX Cardiff              | 0344 892 0111                                                                                          |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Specific target organ toxicity — Repeated exposure, Category 2 H373  
Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Harmful if swallowed.

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

Signal word (CLP)

: Warning

Contains

: 1,2-ethanediol

Hazard statements (CLP)

: H302 - Harmful if swallowed.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P260 - Do not breathe vapours, mist.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P314 - Get medical advice/attention if you feel unwell.

P330 - Rinse mouth.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                                                                      | Product identifier                                                                                     | %    | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|------|-----------------------------------------------------------------|
| 1,2-ethanediol<br>substance with national workplace exposure limit(s)<br>(GB, IE); substance with a Community workplace<br>exposure limit | (CAS-No.) 107-21-1<br>(EC-No.) 203-473-3<br>(EC Index-No.) 603-027-00-1<br>(REACH-no) 01-2119456816-28 | ≥ 80 | Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373                    |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general

: Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water.

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion

: Rinse mouth. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation

: Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness.

Symptoms/effects after ingestion

: Ingestion may cause nausea, vomiting and diarrhea.

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.  
Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : < 40 °C

### 7.3. Specific end use(s)

No additional information available

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

| 1,2-ethanediol (107-21-1)                          |                                                                                                                                                                                          |
|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EU - Indicative Occupational Exposure Limit (IOEL) |                                                                                                                                                                                          |
| Local name                                         | Ethylene glycol                                                                                                                                                                          |
| IOEL TWA                                           | 52 mg/m <sup>3</sup>                                                                                                                                                                     |
| IOEL TWA [ppm]                                     | 20 ppm                                                                                                                                                                                   |
| IOEL STEL                                          | 104 mg/m <sup>3</sup>                                                                                                                                                                    |
| IOEL STEL [ppm]                                    | 40 ppm                                                                                                                                                                                   |
| Notes                                              | Skin                                                                                                                                                                                     |
| Regulatory reference                               | COMMISSION DIRECTIVE 2000/39/EC                                                                                                                                                          |
| Ireland - Occupational Exposure Limits             |                                                                                                                                                                                          |
| Local name                                         | Ethane-1,2-diol [Ethylene glycol]                                                                                                                                                        |
| OEL TWA [1]                                        | 10 mg/m <sup>3</sup> particulate<br>52 mg/m <sup>3</sup> vapour                                                                                                                          |
| OEL TWA [2]                                        | 20 ppm vapour                                                                                                                                                                            |
| OEL STEL                                           | 104 mg/m <sup>3</sup> vapour                                                                                                                                                             |
| OEL STEL [ppm]                                     | 40 ppm vapour                                                                                                                                                                            |
| Notes (IE)                                         | Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values) |
| Regulatory reference                               | Chemical Agents Code of Practice 2020                                                                                                                                                    |
| United Kingdom - Occupational Exposure Limits      |                                                                                                                                                                                          |
| Local name                                         | Ethane-1,2-diol                                                                                                                                                                          |
| WEL TWA (OEL TWA) [1]                              | 10 mg/m <sup>3</sup> particulate<br>52 mg/m <sup>3</sup> vapour                                                                                                                          |
| WEL TWA (OEL TWA) [2]                              | 20 ppm vapour                                                                                                                                                                            |
| WEL STEL (OEL STEL)                                | 104 mg/m <sup>3</sup> vapour                                                                                                                                                             |
| WEL STEL (OEL STEL) [ppm]                          | 40 ppm vapour                                                                                                                                                                            |
| Remark (WEL)                                       | Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)                              |
| Regulatory reference                               | EH40/2005 (Fourth edition, 2020). HSE                                                                                                                                                    |

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

| Eye protection: |                      |                 |          |
|-----------------|----------------------|-----------------|----------|
| Safety glasses  |                      |                 |          |
| Type            | Field of application | Characteristics | Standard |
| Safety glasses  | Droplet              | clear           | EN 166   |

##### 8.2.2.2. Skin protection

| Skin and body protection:         |  |  |  |  |  |
|-----------------------------------|--|--|--|--|--|
| Wear suitable protective clothing |  |  |  |  |  |

| Hand protection:  |                      |                   |                |             |            |
|-------------------|----------------------|-------------------|----------------|-------------|------------|
| Protective gloves |                      |                   |                |             |            |
| Type              | Material             | Permeation        | Thickness (mm) | Penetration | Standard   |
| Reusable gloves   | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥ 0.35         |             | EN ISO 374 |

##### 8.2.2.3. Respiratory protection

| Respiratory protection:                                                  |  |  |  |  |  |
|--------------------------------------------------------------------------|--|--|--|--|--|
| In case of insufficient ventilation, wear suitable respiratory equipment |  |  |  |  |  |

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                            |                     |
|--------------------------------------------|---------------------|
| Physical state                             | : Liquid            |
| Colour                                     | : Blue-green.       |
| Odour                                      | : characteristic.   |
| Odour threshold                            | : No data available |
| pH                                         | : 8,3 (8,2 – 8,4)   |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point                              | : Not applicable    |
| Freezing point                             | : -18 °C            |
| Boiling point                              | : > 180 °C          |

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                                 |                                                |
|-------------------------------------------------|------------------------------------------------|
| Flash point                                     | : 122 °C - ASTM D93 (PM)                       |
| Auto-ignition temperature                       | : No data available                            |
| Decomposition temperature                       | : No data available                            |
| Flammability (solid, gas)                       | : Not applicable                               |
| Vapour pressure                                 | : No data available                            |
| Relative vapour density at 20 °C                | : No data available                            |
| Relative density                                | : No data available                            |
| Density                                         | : 1,134 g/cm <sup>3</sup> (15 °C) - ASTM D4052 |
| Solubility                                      | : Water: Miscible in all proportions           |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                            |
| Viscosity, kinematic                            | : No data available                            |
| Viscosity, dynamic                              | : No data available                            |
| Explosive properties                            | : No data available                            |
| Oxidising properties                            | : No data available                            |
| Lower explosive limit (LEL)                     | : 3,2 vol %                                    |
| Upper explosive limit (UEL)                     | : 53 vol %                                     |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

|                             |                         |
|-----------------------------|-------------------------|
| Acute toxicity (oral)       | : Harmful if swallowed. |
| Acute toxicity (dermal)     | : Not classified        |
| Acute toxicity (inhalation) | : Not classified        |

#### Kroon-Oil Antifreeze SP 14

|                |                          |
|----------------|--------------------------|
| ATE CLP (oral) | 510,204 mg/kg bodyweight |
|----------------|--------------------------|

#### 1,2-ethanediol (107-21-1)

|               |                       |
|---------------|-----------------------|
| LD50 oral rat | 7712 mg/kg bodyweight |
|---------------|-----------------------|

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                       |                                                                                                                                                                                                                                                                                   |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LD50 oral             | There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 30-100 milliliters. This material has also been shown to be toxic and potentially lethal by ingestion to cats and dogs. |
| LD50 dermal           | 3500 mg/kg bodyweight mouse                                                                                                                                                                                                                                                       |
| LC50 Inhalation - Rat | > 2,5 mg/l                                                                                                                                                                                                                                                                        |

|                                   |                                         |
|-----------------------------------|-----------------------------------------|
| Skin corrosion/irritation         | : Not classified<br>pH: 8,3 (8,2 – 8,4) |
| Serious eye damage/irritation     | : Not classified<br>pH: 8,3 (8,2 – 8,4) |
| Respiratory or skin sensitisation | : Not classified                        |
| Germ cell mutagenicity            | : Not classified                        |
| Carcinogenicity                   | : Not classified                        |

### 1,2-ethanediol (107-21-1)

|                                             |                                                                                                                                      |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| NOAEL (chronic, oral, animal/male, 2 years) | 1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results: other:Effect type: carcinogenicity (migrated information) |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|

|                        |                                                                      |
|------------------------|----------------------------------------------------------------------|
| Reproductive toxicity  | : Not classified                                                     |
| STOT-single exposure   | : Not classified                                                     |
| STOT-repeated exposure | : May cause damage to organs through prolonged or repeated exposure. |

### 1,2-ethanediol (107-21-1)

|                        |                                                                                             |
|------------------------|---------------------------------------------------------------------------------------------|
| STOT-repeated exposure | May cause damage to organs (kidneys) through prolonged or repeated exposure (if swallowed). |
|------------------------|---------------------------------------------------------------------------------------------|

|                   |                  |
|-------------------|------------------|
| Aspiration hazard | : Not classified |
|-------------------|------------------|

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                           |                                                                                                                         |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Ecology - general                                         | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified                                                                                                        |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified                                                                                                        |

### 1,2-ethanediol (107-21-1)

|                      |                                                                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| LC50 - Fish [1]      | 72860 mg/l Test organisms (species): Pimephales promelas                                                                                          |
| EC50 - Crustacea [1] | > 100 mg/l Test organisms (species): Daphnia magna                                                                                                |
| EC50 96h - Algae [1] | 3536 mg/l Test organisms (species): other:greenn algae                                                                                            |
| EC50 96h - Algae [2] | 6500 – 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| NOEC (chronic)       | ≥ 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'                                       |

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.2. Persistence and degradability

#### Kroon-Oil Antifreeze SP 14

|                               |                |
|-------------------------------|----------------|
| Persistence and degradability | Biodegradable. |
|-------------------------------|----------------|

#### 1,2-ethanediol (107-21-1)

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 90 % > 10d (OECD 301A method) |
|----------------|-------------------------------|

### 12.3. Bioaccumulative potential

#### 1,2-ethanediol (107-21-1)

|                                                 |       |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Kow) | -1,36 |
|-------------------------------------------------|-------|

### 12.4. Mobility in soil

#### 1,2-ethanediol (107-21-1)

|                                                 |   |
|-------------------------------------------------|---|
| Partition coefficient n-octanol/water (Log Koc) | 1 |
|-------------------------------------------------|---|

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                   |                                                                                               |
|-----------------------------------|-----------------------------------------------------------------------------------------------|
| Waste treatment methods           | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| European List of Waste (LoW) code | : 16 01 14* - antifreeze fluids containing dangerous substances                               |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|-----------------------------------------|---------------|---------------|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| No supplementary information available  |               |               |               |               |

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Child-resistant fastening : Not applicable

Tactile warning : Applicable

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Indication of changes: |                                        |          |          |
|------------------------|----------------------------------------|----------|----------|
| Section                | Changed item                           | Change   | Comments |
|                        | Revision date                          | Modified |          |
|                        | Supersedes                             | Modified |          |
| 2.2                    | Precautionary statements (CLP)         | Modified |          |
| 3                      | Composition/information on ingredients | Modified |          |
| 5.2                    | Fire hazard                            | Added    |          |
| 7.2                    | Storage temperature                    | Added    |          |
| 9.1                    | Melting point                          | Added    |          |
| 9.1                    | Colour                                 | Added    |          |
| 9.1                    | Boiling point                          | Added    |          |

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|      |                                    |          |  |
|------|------------------------------------|----------|--|
| 9.1  | Freezing point                     | Added    |  |
| 9.1  | Solubility in water                | Modified |  |
| 9.1  | pH                                 | Modified |  |
| 9.1  | Flash point                        | Modified |  |
| 10.3 | Possibility of hazardous reactions | Modified |  |
| 11.1 | ATE CLP (oral)                     | Modified |  |
| 16   | Abbreviations and acronyms         | Modified |  |

| Abbreviations and acronyms: |                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------|
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                       |
| REACH                       | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways   |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road               |
| ATE                         | Acute Toxicity Estimate                                                                           |
| BCF                         | Bioconcentration factor                                                                           |
| BLV                         | Biological limit value                                                                            |
| BOD                         | Biochemical oxygen demand (BOD)                                                                   |
| COD                         | Chemical oxygen demand (COD)                                                                      |
| DMEL                        | Derived Minimal Effect level                                                                      |
| DNEL                        | Derived-No Effect Level                                                                           |
| EC-No.                      | European Community number                                                                         |
| EC50                        | Median effective concentration                                                                    |
| EN                          | European Standard                                                                                 |
| IARC                        | International Agency for Research on Cancer                                                       |
| IATA                        | International Air Transport Association                                                           |
| IMDG                        | International Maritime Dangerous Goods                                                            |
| LC50                        | Median lethal concentration                                                                       |
| LD50                        | Median lethal dose                                                                                |
| LOAEL                       | Lowest Observed Adverse Effect Level                                                              |
| NOAEC                       | No-Observed Adverse Effect Concentration                                                          |
| NOAEL                       | No-Observed Adverse Effect Level                                                                  |
| NOEC                        | No-Observed Effect Concentration                                                                  |
| OECD                        | Organisation for Economic Co-operation and Development                                            |
| OEL                         | Occupational Exposure Limit                                                                       |
| PBT                         | Persistent Bioaccumulative Toxic                                                                  |
| PNEC                        | Predicted No-Effect Concentration                                                                 |
| RID                         | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| SDS                         | Safety Data Sheet                                                                                 |
| STP                         | Sewage treatment plant                                                                            |
| ThOD                        | Theoretical oxygen demand (ThOD)                                                                  |

# Kroon-Oil Antifreeze SP 14

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|         |                                          |
|---------|------------------------------------------|
| TLM     | Median Tolerance Limit                   |
| VOC     | Volatile Organic Compounds               |
| CAS-No. | Chemical Abstract Service number         |
| N.O.S.  | Not Otherwise Specified                  |
| vPvB    | Very Persistent and Very Bioaccumulative |
| ED      | Endocrine disrupting properties          |

| Full text of H- and EUH-statements: |                                                                    |
|-------------------------------------|--------------------------------------------------------------------|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                  |
| STOT RE 2                           | Specific target organ toxicity — Repeated exposure, Category 2     |
| H302                                | Harmful if swallowed.                                              |
| H373                                | May cause damage to organs through prolonged or repeated exposure. |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.