according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Auto-Shampoo

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Automotive care products

1.3. Details of the supplier of the safety data sheet

Company name: Eurolub GmbH Place: D-85386 Eching

Telephone: +49 (0) 81 65 95 91 – 0 Telefax: +49 (0) 81 65 95 91 – 20

e-mail: info@eurolub.com

1.4. Emergency telephone Giftnotruf Freiburg: +49 (0) 761 / 19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH208 Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 2 of 8

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | | |
| 68891-38-3 | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | | | |
| | 500-234-8 | | 01-2119488639-16 | | |
| | Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315 H318 H412 | | | | |
| 25155-30-0 | Sodium dodecylbenzenesulfonate | | | | |
| | 246-680-4 | | | | |
| | Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H312 H302 H319 | | | | |
| 55965-84-9 | Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | | |
| | - | 613-167-00-5 | | | |
| | Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1; H331 H311 H301 H314 H317 H400 H410 | | | | |

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % anionic surfactants, < 5 % phosphates, < 5 % non-ionic surfactants, preservation agents (Benzyl alcohol, Methylchloroisothiazolinone/methylisothiazolinone).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

If unconscious place in recovery position and seek medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.

After contact with skin, wash immediately with plenty of water and soap.

Do not wash with: Solvents/Thinner.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

Do NOT induce vomiting.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder, Water mist

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 3 of 8

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.

Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure.

Use appropriate respiratory protection.

5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Additional information

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray.

Safe handling: see section 7

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g.

sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Thorough skin-cleansing after handling the product. If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe gas/fumes/vapour/spray. Wash hands before breaks and after work.

Keep away from food, drink and animal feedingstuffs.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Do not put any product-impregnated cleaning rags into your trouser pockets. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. When diluting/dissolving, always have the water ready first, then slowly stir in the product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with: Betriebssicherheitsverordnung (BetrSichV)

Advice on storage compatibility

Keep/Store only in original container. Do not store together with: Oxidising agent, Strong acid, Strong alkali

Further information on storage conditions

Notice the directions for use on the label.

storage temperature of °C 5 up to °C 25

Contains: Solvent - Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 4 of 8

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn

Protective and hygiene measures

See chapter 7. No additional measures necessary.

Eye/face protection

Suitable eye protection: Dust protection eye glasses/Face protection shield DIN EN 166

Hand protection

Wear suitable gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material: EN 374

Breakthrough time (maximum wearing time): > 30 min.

Use protective skin cream before handling the product.

Skin protection

Wear anti-static footwear and clothing (Natural fibres (e.g. cotton) / heat-resistant synthetic fibres)

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: yellow
Odour: characteristic

Test method

pH-Value (at 20 °C): 7,5 - 8,5 ISO 4316

Changes in the physical state

Melting point:not determinedInitial boiling point and boiling range:not determinedSublimation point:not determinedSoftening point:not determinedPour point:not determined

Flash point: not applicable DIN 53213

Sustaining combustion: No data available

Lower explosion limits: Upper explosion limits:

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 5 of 8

Density (at 20 °C): 1,03 - 1,05 g/cm³ DIN 53217

Solvent separation test: <3 % (Land transport (ADR/RID))

SECTION 10: Stability and reactivity

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

10.4. Conditions to avoid

In case of warming: Formation of:Carbon dioxide

10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO2), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------|---------|----------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 68891-38-3 | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | | | | |
| | oral | LD50 >2000 mg/kg | Rat | | | |
| | dermal | LD50 >2000 mg/kg | Rat | OECD 402 | | |
| 25155-30-0 | Sodium dodecylbenzenesulfonate | | | | | |
| | oral | LD50 650 mg/kg | Rat | | | |
| | dermal | ATE 1100 mg/kg | | | | |
| 55965-84-9 | Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | | | |
| | oral | Data lacking | | | | |
| | dermal | Data lacking | | | | |
| | inhalative Data lacking | | | | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Asniration hazard

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 6 of 8

Further information

There are no data available on the mixture itself.

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reference to other sections: 2, 3

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | | | | |
|------------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------|----------|-----------|-----------------------------------------------------------------------------|----------|--------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | | |
| 68891-38-3 | Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | | | | | | | |
| | Acute fish toxicity | LC50 | 7,1 mg/l | 96 h | Brachydanio rerio (zebra-fish) | OECD 202 | | | |
| | Acute algae toxicity | ErC50 mg/l | 27,7 | 72 h | Desmodesmus subspicatus | | | | |
| | Acute crustacea toxicity | EC50 | 7,2 mg/l | 48 h | Daphnia magna (Big water flea) | | | | |
| | Acute bacteria toxicity | (>1000 | mg/l) | | Pseudomonas putida | | | | |
| 25155-30-0 | Sodium dodecylbenzenes | Sodium dodecylbenzenesulfonate | | | | | | | |
| | Acute fish toxicity | LC50 | 3,2 mg/l | 96 h | Oncorhynchus mykiss (Rainbow trout) | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 5,88 | 48 h | Daphnia magna (Big water flea) | | | | |
| | Acute bacteria toxicity | (500 mg | g/l) | 3 h | | | | | |
| 55965-84-9 | Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,22 | | Oncorhynchus mykiss (Rainbow trout) | | | | |
| | Acute algae toxicity | ErC50 mg/l | 0,048 | 72 h | Pseudokirchneriella subcapitata | | | | |
| | Acute crustacea toxicity | EC50 mg/l | 0,12 | 48 h | Daphnia magna (Big water flea) Oncorhynchus mykiss (Rainbow trout) | | | | |

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|--------|---------------------------------------------------------------------------------------------------------------------------------|---------------|
| | Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | -0,71 - +0,75 |

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

There are no data available on the mixture itself. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains.

Dispose according to legislation.

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 7 of 8

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Completely emptied packages can be recycled.

Dispose according to legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

Additional information

according to Regulation (EC) No 1907/2006

Auto-Shampoo

Revision date: 11.12.2018 Product code: 000309, 000514 Page 8 of 8

Observe in addition any national regulations!

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

| H301 | Toxic if swallowed. |
|------|------------------------------|
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin |
| | |

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and

2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)