

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 03-Feb-2023 Version 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code 44029

Product Name VERSACHEM MAGNUM STEEL EPOXY STICK 2 OZ.

Unique Formula Identifier (UFI) VDMH-607K-600J-R26Y

Code

Contains BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Epoxy resin

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative (OR)

ITW Permatex, Inc. ITW Permatex 6875 Parkland Blvd. Bay 150

Solon, Ohio 44139 USA Shannon Industrial Estate

Telephone: 1-87-Permatex Co. Clare (866) 732-9502 Ireland

V14 DF82 353(61)771500 353(61)471285

customerservice.shannon@itwpp.com

For further information, please contact

Contact Point ITW Permatex

6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

E-mail address: mail@permatex.com

1.4. Emergency telephone number

24-hour emergency phone number	- §45 - (EC)1272/2008
Europe	112
Austria	01 406 43 43
Belgium	070 245 245
Denmark	+ 45 8212 1212
Finland	0800 147 111/ 09 471 977
France	+33 (0)1 45 42 59 59
Germany	112 / 16117
Ireland	01 809 2166

44029 - VERSACHEM MAGNUM STEEL EPOXY STICK 2 OZ.

Italy	0382-24444			
Netherlands	+31 (0)88 755 8000			
Norway	22 59 13 00			
Poland	112			
Portugal	+351 800 250 250			
Slovenia	112			
Spain	+34 91 562 04 20			
Sweden	112			
Switzerland	145			
United Kingdom	111			
Bulgaria	+359 2 9154 233			
Croatia	+3851 2348 342			
Cyprus	1401			
Czech Republic	+420 224 919 293/ +420 224 915 402			
Estonia	16662/ (+372) 7943 794			
Greece	(003) 2107793777			
Hungary	+36 80 201 199			
Iceland	543 2222			
Latvia	+371 67042473			
Liechtenstein	01 406 43 43			
Lithuania	+370 (85) 2362052			
Luxembourg	(+352) 8002 5500			
Romania	+40213183606			
Slovakia	+421 2 5477 4166			
Malta	112			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Contains BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN



Signal word Warning

Hazard statements

Hazard statements

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

1272/2008)

Precautionary Statements - EU (§28, P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves

P280 - Wear protective gloves and eye/face protection

P321 - Specific treatment (see .? on this label)

P337 + P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Weight-%	REACH registration No.	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
BISPHENOL A/EPICHLOROHYDR IN BASED EPOXY RESIN 25068-38-6	10 - 30	Registration no. 01-211945661 9-26-XXXX	-	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	-	-
SILICA, QUARTZ 14808-60-7	0.1 - 1	Exempt	238-878-4	-	-	-	-

Full text of H- and EUH-phrases: see section 16

<u>Acute Toxicity Estimate</u> No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
			hour - dust/mist -	hour - vapor - mg/L	hour - gas - ppm
			mg/L		
BISPHENOL	11400	No data available	No data available	No data available	No data available
A/EPICHLOROHYDRIN					
BASED EPOXY RESIN					
25068-38-6					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

44029 - VERSACHEM MAGNUM STEEL EPOXY STICK 2 OZ.

Revision Date 03-Feb-2023

Ingestion Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

44029 - VERSACHEM MAGNUM STEEL EPOXY STICK 2 OZ.

Revision Date 03-Feb-2023

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific use(s)

Automotive Care Product.

Identified uses

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	Euro	pean Union	Austria	Belgium	Bu	Igaria	Croatia
BISPHENOL		-	-	-	TWA: 1	1.0 mg/m ³	-
A/EPICHLOROHYDRIN							
BASED EPOXY RESIN							
25068-38-6							
SILICA, QUARTZ		A 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: (0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	respi	rable fraction					
Chemical name		Cyprus	Czech Republic	Denmark	Es	stonia	Finland
SILICA, QUARTZ	TWA	A: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³	TWA: (0.1 mg/m ³	TWA: 0.05 mg/m ³
14808-60-7				TWA: 0.1 mg/m ³			TWA: 0.1 mg/m ³
Chemical name		France	Germany	Germany MAK	G	reece	Hungary
SILICA, QUARTZ	TWA	A: 0.1 mg/m ³	-	-	TWA: (0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7							
Chemical name		Ireland	Italy	Italy REL	L	atvia	Lithuania
SILICA, QUARTZ	TWA	A: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: (0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	STE	L: 0.3 mg/m ³					
Chemical name	Lu	xembourg	Malta	Netherlands	No	orway	Poland
SILICA, QUARTZ		-	-	TWA: 0.075 mg/m ³		0.3 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7				TWA: 0.75 mg/m ³		0.1 mg/m ³	
						0.9 mg/m³	
						0.3 mg/m ³	
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
SILICA, QUARTZ	TWA:	0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³		-	TWA: 0.05 mg/m ³
14808-60-7		: 0.05 mg/m ³		STEL: 0.5 mg/m ³			
	TWA	\: 0.1 mg/m ³					
Chemical name			veden	Switzerland		Uni	ted Kingdom
SILICA, QUARTZ		NGV:	0.1 mg/m ³	TWA: 0.15 mg/n	n 3	TW.	A: 0.1 mg/m ³
14808-60-7							

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic

44029 - VERSACHEM MAGNUM STEEL EPOXY STICK 2 OZ.

Revision Date 03-Feb-2023

SILICA, QUARTZ (-) 14808-60-7

Derived No Effect Level (DNEL) Predicted No Effect Concentration (PNEC)

No information available. No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Gray

Color No information available

Odor Pungent Sulfur

No information available **Odor threshold**

Remarks • Method Property Values

Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit: No data available Lower flammability limit: No data available

> 95 °C Setaflash Closed Cup Flash point

Autoignition temperature No data available None known

Decomposition temperature рΗ No data available None known

No data available No information available pH (as aqueous solution)

Kinematic viscosity No Data Available None known Dynamic viscosity No data available None known

Water solubility No data available Solubility(ies) No Data Available None known

Partition coefficient No Data Available None known No Data Available Vapor pressure None known

Relative density 2.25

No data available **Bulk density** No data available Density

Vapor density No data available None known

Particle characteristics No information available **Particle Size**

Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous Decomposition Products Carbon oxides. Oxides of sulfur. Metal oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 11,685.00 mg/kg

79.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

99.5 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

99.5 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
BISPHENOL	= 11400 mg/kg (Rat)	-	-
A/EPICHLOROHYDRIN BASED			
EPOXY RESIN			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

EcotoxicityThe environmental impact of this product has not been fully investigated.

Unknown aquatic toxicityContains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation No information available.

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

No information available. PBT and vPvB assessment

Chemical name	PBT and vPvB assessment	
BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN	The substance is not PBT / vPvB	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazard Not applicable

14.6 Special precautions for user

IMDG

14.1 UN number or ID number

14.2

Not regulated 14.3 Transport hazard class(es) 14.4 Packing Group Not regulated

14.5 Environmental hazard

14.6 Special precautions for user

14.7 Maritime transport in bulk according to IMO instruments

Not regulated

Not applicable

RID

14.1 UN/ID No Not regulated

14.2

14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardNot applicable

14.6 Special precautions for user

ADR

14.1 UN number or ID number Not regulated

14.2

14.3 Transport hazard class(es)
 14.4 Packing Group
 14.5 Environmental hazard
 Not regulated
 Not applicable

14.6 Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
SILICA, QUARTZ	RG 25
14808-60-7	

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Mutagens	Reproductive Toxins
SILICA, QUARTZ	Present	1	•

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN - 25068-38-6	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	Plant protection products directive (91/414/EEC)
SILICA, QUARTZ - 14808-60-7	Plant protection agent

International Inventories

TSCA Does not comply

DSL/NDSL Complies
EINECS/ELINCS Does not comply
ENCS Does not comply
IECSC Does not comply
KECL Does not comply
PICCS Does not comply
AICS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision Date

03-Feb-2023

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet