

**87000CVAG**

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 2-2-2012 Revision date: 27-5-2021 Supersedes: 25-11-2020 version: 2.5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Coolant Premium Longlife -40°C G13 Ready to Use  
UFI : K1MA-DTVM-028J-4MX6  
Product code : 87000CVAG  
Type of product : Anti-freezing agents  
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use  
Use of the substance/mixture : Anti-freezing agents  
Function or use category : Anti-freezing agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft Delft - Nederland  
T +31 (0)15 2514030  
[support@mpmoil.nl](mailto:support@mpmoil.nl) - [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Reproductive toxicity, Category 2 H361d  
Specific target organ toxicity — Repeated exposure, Category 2 H373  
Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

CLP Signal word

: Warning

Hazardous ingredients

: ethanediol; ethylene glycol

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazard statements (CLP)	: H302 - Harmful if swallowed. H361d - Suspected of damaging the unborn child. H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Precautionary statements (CLP)	: P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P308+P313 - IF exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell. P501 - Dispose of Contents and container to an approved waste disposal plant.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanediol; ethylene glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28	≥ 30 – ≤ 50	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
GLYCERIN	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	≥ 5 – ≤ 15	Not classified
Sodium-2-ethylhexanoat	(CAS-No.) 19766-89-3 (EC-No.) 243-283-8	≥ 1 – < 2,5	Repr. 2, H361d

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

After inhalation	: If unconscious, place in the recovery position and seek medical advice. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
After skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
After eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophtalmologist if irritation persists.
After ingestion	: If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink. Do NOT induce vomiting. Get immediate medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Ethylene glycol is harmful if swallowed. Symptoms may be delayed. Can include nausea, vomiting, cramps, can affect the level of consciousness. Can give damage to kidney.
------------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry chemical, CO2, dry sand, or alcohol-resistant foam.
Unsuitable extinguishing media	: None known.

### 5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Heat from a fire could result in drum bursting.
------------------	---

### 5.3. Advice for firefighters

Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Self-contained breathing apparatus with an air line.
Other information	: Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Use a water spray to cool exposed surfaces and to protect fire-fighters.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe dusts or mists. Ventilate well.
------------------	---

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and eye/face protection.

### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and eye/face protection.

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

## 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13. Information on safe handling - see Section 7.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Provide local exhaust or general room ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Keep away from sources of ignition - No smoking. Store in a well-ventilated place. Keep container tightly closed.

Incompatible products : Strong bases. Oxidizing agent.

Information on mixed storage : Keep in a cool, well-ventilated place away from acids.

Storage area : Store in a well-ventilated place. Keep in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ethanediol; ethylene glycol (107-21-1)		
EU	IOELV TWA (mg/m³)	52 mg/m³
EU	IOELV TWA (ppm)	20 ppm
EU	IOELV STEL (mg/m³)	104 mg/m³
EU	IOELV STEL (ppm)	40 ppm
EU	Notes	Skin
EU	Regulatory reference	Commission Directive 2000/39/EC
Germany	Notes	
Ireland	Local name	Ethane-1,2-diol [Ethylene glycol]
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour
Ireland	OEL (8 hours ref) (ppm)	20 ppm vapour
Ireland	OEL (15 min ref) (mg/m³)	104 mg/m³ vapour
Ireland	OEL (15 min ref) (ppm)	40 ppm vapour
Ireland	Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Ireland	Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom	Local name	Ethane-1,2-diol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### ethanediol; ethylene glycol (107-21-1)

United Kingdom	WEL TWA (ppm)	20 ppm vapour
United Kingdom	WEL STEL (mg/m³)	104 mg/m³ vapour
United Kingdom	WEL STEL (OEL STEL) [ppm]	40 ppm vapour
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### GLYCERIN (56-81-5)

EU	IOELV TWA (mg/m³)	10 mg/m³
Germany	Notes	
United Kingdom	Local name	Glycerol
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ mist
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## 8.2. Exposure controls

### Technical measures:

Ensure good ventilation of the work station. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment:

Gloves. Protective goggles.

### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

### Hand protection:

Wear suitable gloves resistant to chemical penetration

### Eye protection:

Safety goggles

### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. [In case of inadequate ventilation] wear respiratory protection.

### Personal protective equipment symbol(s):



### Other information:

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Hygroscopic.
Colour	: Red.
Odour	: slight.
Odour threshold	: No data available
pH	: 7,5 – 8,5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: -36 °C

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Boiling point	: 760 mm Hg
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1070 kg/m³ 20°C
Solubility	: Acetone. alcohols. water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

Miscibility	: water, acetone, alcohol
-------------	---------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Moisture. No naked flames, sparks, and do not smoke.

### 10.5. Incompatible materials

Strong acids. Oxidizing agent.

### 10.6. Hazardous decomposition products

None under normal conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ATE CLP (oral)	1351,351 mg/kg bodyweight
----------------	---------------------------

### ethanediol; ethylene glycol (107-21-1)

LD50 oral rat	7712 mg/kg bodyweight
LD50 dermal rat	> 3500 mg/kg Mouse
LD50 dermal rabbit	10600 mg/kg
LC50 Inhalation - Rat	> 2,5 mg/l/6Hrs

### GLYCERIN (56-81-5)

LD50 oral rat	27 mg/kg bodyweight
---------------	---------------------

### Sodium-2-ethylhexanoat (19766-89-3)

LD50 oral rat	2043 mg/kg bodyweight OECD 401
LD50 dermal rat	> 2000 mg/kg bodyweight OECD 402

Skin corrosion/irritation	: Not classified pH: 7,5 – 8,5
Serious eye damage/irritation	: Not classified pH: 7,5 – 8,5

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

### ethanediol; ethylene glycol (107-21-1)

NOAEL (chronic, oral, animal/male, 2 years)	1000 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	1500 mg/kg bodyweight

Reproductive toxicity	: Suspected of damaging the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

### ethanediol; ethylene glycol (107-21-1)

NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight/day
----------------------------	--------------------------

### Sodium-2-ethylhexanoat (19766-89-3)

NOAEL (oral, rat, 90 days)	≈ 300 mg/kg bodyweight EPA OTS 795.2600
----------------------------	---

Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: This product contains ethylene glycol (EG). The toxicity of EG via inhalation or skin contact is expected to be slight at room temperature. The estimated oral lethal dose is about 100 cc (3.3 oz.) for an adult human. Ethylene glycol is oxidized to oxalic acid which results in the deposition of calcium oxalate crystals mainly in the brain and kidneys. Early signs and symptoms of EG poisoning may resemble those of alcohol intoxication. Later, the victim may experience nausea, vomiting, weakness, abdominal and muscle pain, difficulty in breathing and decreased urine output. When EG was heated above the boiling point of water, vapors formed which reportedly caused unconsciousness, increased lymphocyte count, and a rapid, jerky movement of the eyes in persons chronically exposed. When EG was administered orally to pregnant rats and mice, there was an increase in fetal deaths and birth defects. Some of these effects occurred at doses that had no toxic effects on the mothers. We are not aware of any reports that EG causes reproductive toxicity in human beings. 2-Ethylhexanoic acid (2-EXA) caused an increase in liver size and enzyme levels when repeatedly administered to rats via the diet. When administered to pregnant rats by gavage or in drinking water, 2-EXA caused teratogenicity (birth defects) and delayed postnatal development of the pups. Additionally, 2-EXA impaired female fertility in rats. Birth defects were seen in the offspring of mice who were administered sodium 2-ethylhexanoate via intraperitoneal injection during pregnancy.
Other information	: Contains small amount Bitrex. Bitterant agent is a general description for chemical additives that are added to hazardous products to give it a bitter taste, which creates a strong aversion and as such avoids accidental poisonings for especially young children and household pets. It is often used in household cleaners, pesticides and also engine coolants. There are a number of possible chemicals that can be used, however, most commonly known is the Denatonium benzoate (CAS 3734-33-6.).

## SECTION 12: Ecological information

### 12.1. Toxicity

General	: According to the criteria of the EC-classification and labelling "dangerous for the environment" (93/21/EEC) the material/product is not to be classified as dangerous to the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### ethanediol; ethylene glycol (107-21-1)

LC50 fish 1	72860 mg/l 96 hrs / Pimephales promelas
EC50 Daphnia 1	> 100 mg/l 48 hrs
EC50 other aquatic organisms 2	> 9600 mg/l 96 hrs / Selenastrum capricornutum
EC50 96h - Algae [1]	3536 mg/l green algae
EC50 96h - Algae [2]	6500 – 13000 mg/l Pseudokirchneriella subcapitata
NOEC (chronic)	15380 mg/l Fish Early Life Stage / Pimephales promelas / 7 days

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### GLYCERIN (56-81-5)

LC50 fish 1	54000 mg/l Oncorhynchus mykiss
-------------	--------------------------------

### Sodium-2-ethylhexanoat (19766-89-3)

LC50 fish 1	> 100 mg/l Oryzias latipes
EC50 Daphnia 1	910 mg/l Daphnia magna
EC50 72h - Algae [1]	49,3 mg/l Desmodesmus subspicatus
LOEC (chronic)	63 mg/l Daphnia magna @21d
NOEC (chronic)	25 mg/l Daphnia magna @21d

### 12.2. Persistence and degradability

#### ethanediol; ethylene glycol (107-21-1)

Biodegradation	Readily biodegradable
----------------	-----------------------

### 12.3. Bioaccumulative potential

#### ethanediol; ethylene glycol (107-21-1)

Log Pow	-1,36
Bioaccumulative potential	There is no bioaccumulation.

### 12.4. Mobility in soil

#### Coolant Premium Longlife -40°C G13 Ready to Use

Soil	Avoid release to the environment.
------	-----------------------------------

#### ethanediol; ethylene glycol (107-21-1)

Soil	This material has low volatility and is water soluble hence the potential for mobility is high.
------	---

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste disposal recommendations	: Dispose as hazardous waste.
European List of Waste (LoW) code	: 16 01 14* - antifreeze fluids containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number</b>	
Not applicable	Not applicable
<b>14.2. UN proper shipping name</b>	
Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>	
Not applicable	Not applicable
<b>14.4. Packing group</b>	
Not applicable	Not applicable
<b>14.5. Environmental hazards</b>	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No
No supplementary information available	

# Coolant Premium Longlife -40°C G13 Ready to Use

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Indication of changes:

Section	Changed item	Change	Comments
	SDS EU format	Added	
	Supersedes	Modified	
	Revision date	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Hazard pictograms (CLP)	Modified	
11.1	ATE CLP (oral)	Added	

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Repr. 2	Reproductive toxicity, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

SDS MPM REACH

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*