



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

California Scents Vent Clip Spinning Sun Newport New Car

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd.
Sword House
Totteridge Road
High Wycombe HP13 6DG
United Kingdom

Telephone: +44(0)88000353376
e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word warning

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

- Pictograms

GHS07



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Linalyl acetate, 3,7-dimethylnona-1,6-dien-3-ol, Linalool, Citronellol, Isocyclocitral, Dimethylcyclohex-3-ene-1-carbaldehyde, Hexyl cinnamaldehyde, 3,7-dimethylocta-1,6-diene, Cyclamal, Tetramethyl Acetyloctahydronaphthalenes

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

- Hazard pictogram(s)

Warning. GHS07



- Hazard statements

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with national regulations.

- Contains

Linalyl acetate, 3,7-dimethylnona-1,6-dien-3-ol, Linalool, Citronellol, Isocyclocitral, Dimethylcyclohex-3-ene-1-carbaldehyde, Hexyl cinnamaldehyde, 3,7-dimethylocta-1,6-diene, Cyclamal, Tetramethyl Acetyloctahydronaphthalenes

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.






SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Linalyl acetate	CAS No 115-95-7 EC No 204-116-4	≥ 6	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Florosol	CAS No 63500-71-0 EC No 405-040-6 Index No 603-101-00-3	≥ 2	Eye Irrit. 2 / H319	
3,7-dimethylnona-1,6-dien-3-ol	CAS No 10339-55-6 EC No 233-732-6	≥ 2	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Dihydromyrcenol	CAS No 18479-58-8 EC No 242-362-4	2 – < 20	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H336	
Hexamethylindanopyran	CAS No 1222-05-5 EC No 214-946-9 Index No 603-212-00-7	0.3 – < 2	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	















Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hexyl cinnamaldehyde	CAS No 165184-98-5 101-86-0 EC No 639-566-4 202-983-3	0.1 – < 1	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	 
Linalool	CAS No 78-70-6 EC No 201-134-4 Index No 603-235-00-2	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Citronellol	CAS No 106-22-9 EC No 203-375-0	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Isocyclocitral	CAS No 1335-66-6 EC No 215-638-7	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	
Dimethylcyclohex-3-ene-1-carbaldehyde	CAS No 27939-60-2 EC No 248-742-6	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	 
Cyclamal	CAS No 103-95-7 EC No 203-161-7	0.1 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	
Tetramethyl Acetyloctahydronaphthalenes	CAS No proprietary EC No 915-730-3	0.1 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	 
3,7-dimethylocta-1,6-diene	CAS No 2436-90-0 EC No 219-433-3	0.1 – < 0.2	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	   



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hexamethylindanopyran	-	M-factor (acute) = 1 M-factor (chronic) = 1	-	
Hexyl cinnamaldehyde	-	M-factor (acute) = 1	-	
3,7-dimethylocta-1,6-diene	-	M-factor (acute) = 1 M-factor (chronic) = 1	-	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	polyvinyl chloride	9002-86-2	WEL		10					i	EH40/2005
GB	polyvinyl chloride	9002-86-2	WEL		4					r	EH40/2005

Notation

Ceiling-C

i

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant DNELs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Dihydromyrcenol	18479-58-8	DNEL	24.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Hexamethylindanopyran	1222-05-5	DNEL	13.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexamethylindanopyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Florosol	63500-71-0	DNEL	44.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Florosol	63500-71-0	DNEL	41.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	0.078 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	6.28 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm ²	human, dermal	worker (industry)	chronic - local effects

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant DNELs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	DNEL	525 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	161.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Citronellol	106-22-9	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Citronellol	106-22-9	DNEL	327.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	2,950 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	24.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	DNEL	1,163 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Cyclamal	103-95-7	DNEL	7.43 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Cyclamal	103-95-7	DNEL	1.23 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	0.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Tetramethyl Acetyloctahydronaphthalenes	proprietary	DNEL	30 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Tetramethyl Acetyloctahydronaphthalenes	proprietary	DNEL	28.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Tetramethyl Acetyl-octahydronaphthalenes	proprietary	DNEL	648 µg/cm ²	human, dermal	worker (industry)	chronic - local effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalyl acetate	115-95-7	PNEC	0.11 mg/l	aquatic organisms	water	intermittent release
Linalyl acetate	115-95-7	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 mg/kg	terrestrial organisms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 mg/kg	aquatic organisms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 mg/l	aquatic organisms	water	intermittent release
Dihydromyrcenol	18479-58-8	PNEC	27.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 µg/l	aquatic organisms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant PNECs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dihydromyrcenol	18479-58-8	PNEC	0.103 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organ-isms	water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organ-isms	water	intermittent re-lease
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organ-isms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	6.8 µg/l	aquatic organ-isms	freshwater	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	0.44 µg/l	aquatic organ-isms	marine water	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	1 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	2 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	0.394 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Hexamethylindan-opyran	1222-05-5	PNEC	1.5 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Florosol	63500-71-0	PNEC	0.94 mg/l	aquatic organ-isms	water	intermittent re-lease
Florosol	63500-71-0	PNEC	0.094 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Florosol	63500-71-0	PNEC	0.009 mg/l	aquatic organ-isms	marine water	short-term (single instance)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant PNECs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Florosol	63500-71-0	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Florosol	63500-71-0	PNEC	0.412 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Florosol	63500-71-0	PNEC	0.041 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Florosol	63500-71-0	PNEC	0.09 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.001 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	3.2 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.064 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Hexyl cinnamaldehyde	165184-98-5 101-86-0	PNEC	0.398 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organ-isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organ-isms	water	intermittent re-lease
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organ-isms	soil	short-term (single instance)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant PNECs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Citronellol	106-22-9	PNEC	0.024 mg/l	aquatic organ-isms	water	intermittent re-lease
Citronellol	106-22-9	PNEC	0.002 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Citronellol	106-22-9	PNEC	0 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Citronellol	106-22-9	PNEC	580 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Citronellol	106-22-9	PNEC	0.026 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Citronellol	106-22-9	PNEC	0.003 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Citronellol	106-22-9	PNEC	0.004 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.009 mg/l	aquatic organ-isms	freshwater	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.001 mg/l	aquatic organ-isms	marine water	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	13.8 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.169 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.017 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	PNEC	0.025 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	33.3 mg/kg	aquatic organ-isms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 µg/l	aquatic organ-isms	water	intermittent re-lease
Cyclamal	103-95-7	PNEC	8.8 µg/l	aquatic organ-isms	freshwater	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.88 µg/l	aquatic organ-isms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Relevant PNECs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cyclamal	103-95-7	PNEC	1.02 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.102 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.199 mg/kg	terrestrial organ-isms	soil	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	4.4 µg/l	aquatic organ-isms	freshwater	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	0.44 µg/l	aquatic organ-isms	marine water	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	10 mg/l	aquatic organ-isms	sewage treatment plant (STP)	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	3.73 mg/kg	aquatic organ-isms	freshwater sedi-ment	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	0.75 mg/kg	aquatic organ-isms	marine sediment	short-term (single instance)
Tetramethyl Acety-loctahydronaph-thalenes	proprietary	PNEC	2.7 mg/kg	terrestrial organ-isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	193 °C at 100.9 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	this information is not available
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Solubility(ies)	not determined
-----------------	----------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	<1 hPa at 20 °C
-----------------	-----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	no data available
--------------------------	-------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalyl acetate	115-95-7	ErC50	62 mg/l	green algae (Selenastrum capricornutum)	72 h
Linalyl acetate	115-95-7	LC50	11 mg/l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 mg/l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	LC50	27.8 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	EC50	38 mg/l	aquatic invertebrates	48 h
Dihydromyrcenol	18479-58-8	ErC50	80 mg/l	green algae (Selenastrum capricornutum)	72 h
Dihydromyrcenol	18479-58-8	NOEC	<3.5 mg/l	fish	96 h
Dihydromyrcenol	18479-58-8	LOEC	50 mg/l	green algae (Selenastrum capricornutum)	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	24 mg/l	fish	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	23 mg/l	aquatic invertebrates	48 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	ErC50	25.1 mg/l	green algae (Selenastrum capricornutum)	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	NOEC	5 mg/l	fish	96 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LOEC	16 mg/l	fish	96 h
Hexamethylindanopyran	1222-05-5	LC50	0.95 mg/l	fish	96 h
Hexamethylindanopyran	1222-05-5	EC50	0.194 mg/l	aquatic invertebrates	48 h
Hexamethylindanopyran	1222-05-5	ErC50	>0.854 mg/l	green algae (Selenastrum capricornutum)	72 h
Hexamethylindanopyran	1222-05-5	NOEC	0.201 mg/l	green algae (Selenastrum capricornutum)	72 h

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Florosol	63500-71-0	EC50	320 mg/l	aquatic invertebrates	48 h
Florosol	63500-71-0	ErC50	>100 mg/l	green algae (Selenastrum capricornutum)	72 h
Florosol	63500-71-0	NOEC	≥320 mg/l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LC50	1.7 mg/l	fish	96 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	<0.59 mg/l	aquatic invertebrates	48 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	ErC50	>0.065 mg/l	green algae (Selenastrum capricornutum)	72 h
Hexyl cinnamaldehyde	165184-98-5 101-86-0	NOEC	0.93 mg/l	fish	96 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	green algae (Selenastrum capricornutum)	96 h
Linalool	78-70-6	NOEC	<3.5 mg/l	fish	96 h
Citronellol	106-22-9	LC50	14.66 mg/l	fish	96 h
Citronellol	106-22-9	EC50	17.48 mg/l	aquatic invertebrates	48 h
Citronellol	106-22-9	NOEC	4.6 mg/l	fish	96 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	LC50	8.61 mg/l	fish	96 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	EC50	26.4 mg/l	aquatic invertebrates	24 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	ErC50	22.2 mg/l	green algae (Selenastrum capricornutum)	72 h
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	NOEC	3.83 mg/l	green algae (Selenastrum capricornutum)	72 h
Cyclamal	103-95-7	LC50	1.42 mg/l	fish	96 h
Cyclamal	103-95-7	EC50	1.4 mg/l	aquatic invertebrates	48 h
Cyclamal	103-95-7	ErC50	4.3 mg/l	green algae (Selenastrum capricornutum)	72 h

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Cyclamal	103-95-7	LOEC	2.5 mg/l	green algae (Selenastrum capricornutum)	72 h
Cyclamal	103-95-7	NOEC	0.72 mg/l	green algae (Selenastrum capricornutum)	72 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	LC50	1.3 mg/l	fish	96 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	EC50	1.38 mg/l	aquatic invertebrates	48 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	ErC50	>2.6 mg/l	green algae (Selenastrum capricornutum)	24 h
Tetramethyl Acetyloctahydronaphthalenes	proprietary	NOEC	≥2.6 mg/l	green algae (Selenastrum capricornutum)	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalyl acetate	115-95-7	LC50	11.14 mg/l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 mg/l	microorganisms	28 d
Dihydromyrcenol	18479-58-8	EC50	17 mg/l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	NOEC	9.5 mg/l	aquatic invertebrates	21 d
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	59 mg/l	aquatic invertebrates	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	28 mg/l	fish	3 h
Hexamethylindanopyran	1222-05-5	LC50	>0.14 mg/l	fish	36 d
Hexamethylindanopyran	1222-05-5	EC50	0.282 mg/l	aquatic invertebrates	21 d
Hexamethylindanopyran	1222-05-5	NOEC	0.068 mg/l	fish	36 d
Hexamethylindanopyran	1222-05-5	LOEC	0.075 mg/l	aquatic invertebrates	5.5 d
Florosol	63500-71-0	EC50	>1,000 mg/l	microorganisms	3 h
Florosol	63500-71-0	NOEC	1,000 mg/l	microorganisms	3 h

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 µg/l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	NOEC	63 µg/l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LOEC	157 µg/l	aquatic invertebrates	21 d
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Citronellol	106-22-9	EC50	>10,000 mg/l	microorganisms	30 min
Cyclamal	103-95-7	EC50	1.7 mg/l	aquatic invertebrates	21 d
Cyclamal	103-95-7	NOEC	0.44 mg/l	aquatic invertebrates	21 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	LC50	>0.3 mg/l	fish	30 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	EC50	>0.448 mg/l	aquatic invertebrates	21 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	NOEC	0.54 mg/l	fish	30 d
Tetramethyl Acetyloc-tahydronaphthalenes	proprietary	LOEC	0.29 mg/l	fish	30 d

12.2 Persistence and degradability

Degradability of components

Name of sub-stance	CAS No	Process	Degradation rate	Time	Method	Source
Linalyl acetate	115-95-7	oxygen depletion	≥0 – ≤10 %	1 d		ECHA
Dihydromyrcen-ol	18479-58-8	carbon dioxide generation	72 %	28 d		ECHA
Dihydromyrcen-ol	18479-58-8	DOC removal	100 %	28 d		ECHA
3,7-dimethyl-nona-1,6-dien-3-ol	10339-55-6	oxygen depletion	6 %	4 d		ECHA

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Degradability of components						
Name of sub-stance	CAS No	Process	Degradation rate	Time	Method	Source
Hexamethyl-indanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Florosol	63500-71-0	carbon dioxide generation	0 – 10 %	28 d		ECHA
Hexyl cinnamaldehyde	165184-98-5 101-86-0	oxygen depletion	97 %	28 d		ECHA
Linalool	78-70-6	oxygen depletion	40.9 %	5 d		ECHA
Citronellol	106-22-9	oxygen depletion	80 – 90 %	28 d		ECHA
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2	oxygen depletion	-0.7 %	7 d		ECHA
Cyclamal	103-95-7	carbon dioxide generation	65.5 %	28 d		ECHA
Tetramethyl Acetyloctahydronaphthalenes	proprietary	oxygen depletion	96.3 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Linalyl acetate	115-95-7	174	3.9 (25 °C)	
Dihydromyrcenol	18479-58-8	64.8	3.25 (pH value: 7, 40 °C)	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6		3.3 (20 °C)	
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)	
Florosol	63500-71-0		1.65 (23 °C)	
Hexyl cinnamaldehyde	165184-98-5 101-86-0		5.3 (24 °C)	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Citronellol	106-22-9	82.59	3.41 (25 °C)	

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dimethylcyclohex-3-ene-1-carbaldehyde	27939-60-2		3 (25 °C)	
3,7-dimethylocta-1,6-diene	2436-90-0		5.796 (pH value: 5.5, 25 °C)	
Cyclamal	103-95-7		3.4 (pH value: ~7, 35 °C)	
Tetramethyl Acetyloctahydronaphthalenes	proprietary	391	5.6 (30 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	
Linalool		a)	
Cyclamal		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Hexyl cinnamaldehyde	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Dihydromyrcenol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Linalyl acetate	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Hexamethylindanopyran	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Dimethylcyclohex-3-ene-1-carbaldehyde	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Linalool	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
3,7-dimethylocta-1,6-diene	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
3,7-dimethylocta-1,6-diene	flammable / pyrophoric		40
Cyclamal	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Tetramethyl Acetyloctahydronaphthalenes	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Florosol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Citronellol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
3,7-dimethylnona-1,6-dien-3-ol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Isocyclocitral	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

New Zealand HSNO Approval Number not applicable

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	not all ingredients are listed
VN	NCI	not all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Legend

ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Vent Clip Spinning Sun Newport New Car

Version number: GHS 1.0

Date of compilation: 2023-11-17

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.