According to Regulation (EU) No 2020/878

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : RUSTYCO LIQUID SANDPAPER

Product code : -

UFI : QH00-N0AP-Y007-NURC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Other cleaning, care and maintenance products (excludes biocidal

products). Rust removing agent.

1.3. Details of the supplier of the safety data sheet

Supplier : Rustyco

Postbus 22

9640 AA Veendam, The Netherlands

Telephone : +31 598 631 333
E-mail : info@rustyco.com
Website : www.rustyco.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31 598 631 333 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Corrosive to metals, category 1. Skin corrosion, category 1. Serious eye damage, category 1.

(1272/2008/EC)

Human health hazards : Causes severe skin burns and eye damage.

Physical/chemical hazards : Reacts vigorously in contact with alkalines. Strong heat development possible. May be corrosive to

metals.

Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements ((EU) 1272/2008):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P234 Keep only in original container.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Product name : Rustyco Liquid sandpaper Page 1/10
Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS

According to Regulation (EU) No 2020/878

P301+P330 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

+P331

P303+P361 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

+P353 with water/shower.

P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+P338 lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :

Signal word : Danger

H- and P-phrases : H314 Causes severe skin burns and eye damage.

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

+ P331

P303 + P361 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

+ P353 with water/shower.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

+ P338 lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Phosphoric acid < 25 %.

Ingredient declaration according to Regulation EC 648/2004:

Contains: Concentration (%)
Benzisothiazolinone.

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a

tactile warning of danger and a child-resistant fastening.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances. Human health: This product does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH

Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Product name : Rustyco Liquid sandpaper Page 2/10
Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS

According to Regulation (EU) No 2020/878

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.		EC number	Remark	REACH nr.
Phosphoric acid	10 - < 25	7664-38	3-2	231-633-2		01-2119485924-24
Substance name	Hazard Class		H-phra	ses	Pictograms	
Phosphoric acid	Met. Corr. 1; Sk 1B; Eye Dam. 1		H290;	H314; H318	GHS05	H314 B: C >= 25 % H290: C >= 20 % H315: C >= 10 % H319: C >= 10 % H318: C >= 25 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

*

4.1. Description of first aid measures

First aid measures

Inhalation : Move victim into fresh air. Transport to a hospital immediately.

Skin contact : Immediately wash off skin with plenty of water. Take off contaminated clothing. Consult a doctor in

case burns or irritation occur.

Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Transport to a

hospital immediately.

Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never

give anything by mouth to an unconscious person. Transport to a hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation : Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.

Skin contact : Corrosive. May cause redness, pain and severe burns (blisters).

Eye contact : Corrosive. May cause redness and severe pain. Tears.

Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, vomiting

and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.

Not suitable : Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known. Non flammable product.

Hazardous thermal : None known.

decomposition and combustion products

5.3. Advice for firefighters

Product name : Rustyco Liquid sandpaper Page 3/10

Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS

According to Regulation (EU) No 2020/878

Special protective equipment for fire-fighters

Other information

: Not applicable. Attention: extinguishing water can be corrosive.

: Collect contaminated fire extinguishing water separately. Avoid release of product into sewers,

surface water and/or ground water.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with Personal precautions

spilled or released material.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills:

contain with dike. Large scale discharge causing a very low pH may impair the biological system in

sewage plants. Inform the official bodies if necessary.

Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to

occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with soda. Absorb residues in

sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder

with plenty of water.

6.4. Reference to other sections

Reference to other sections: See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

: Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Handling

> When dissolving or diluting, always add product to water. NEVER vice versa. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing. After contact with skin, wash immediately

with plenty of water.

7.2. Conditions for safe storage, including any incompatibilities

: Keep frost-free, in a cool, dry and well-ventilated place.

Recommended packaging Keep only in the original container.

Non recommended : Steel and aluminium.

packaging

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure

limits

: Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have

not been established for this product.

Workplace exposure limits (mg/m³):

Product name : Rustyco Liquid sandpaper Page 4/10 : 2023-11-08 Revision Replaces issue dated : 2016-12-13 **INFO CARE SDS**

According to Regulation (EU) No 2020/878

Chemical name	,	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Phosphoric acid	EC	1	2	-	Directive 2000/39/EC

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
Phosphoric acid	Inhalation	2 mg/m3		1 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
	,	Local effect	Systemic effect	Local effect	Systemic effect
Phosphoric acid	Inhalation			0,73 mg/m3	

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.









Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN

365/367 resp. 345. Suitable material: neoprene. Indication of permeation breakthrough time: 6

hours.

Respiratory protection : Take care of sufficient ventilation.

Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: neoprene. \pm 0,5 mm.

Indication of permeation breakthrough time: 6 hours.

Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state : Liquid.
Colour : Colourless.
Odour : Odourless.

Odour threshold : Not applicable. Odourless.

pH : 1 Acid reserve (g NaOH/100 : 30,24

ml)

Corrosion rate on metals : > 6,25 mm per year.

(55°C)

Solubility in water : Soluble.

Partition coefficient (n-oc- : Not a

tanol/water)

: Not applicable. Contains surfactants. The O/W system emulsifies. Not measured. Not

relevant for mixtures.

Flash point : Not applicable. Does not contain combustible substances.

Flammability (solid, gas) : Not applicable. Liquid.

Auto ignition temperature : > 300 °C

Boiling point/boiling range : 100 °C

Product name : Rustyco Liquid sandpaper Page 5/10
Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS

According to Regulation (EU) No 2020/878

Melting point/melting range : < 0 °C

Not an explosive. Explosive properties Explosion limits (% in air) Not applicable.

Not applicable. Oxidising properties Does not contain oxidizing substances.

Decomposition temperature: Not applicable. Viscosity (20°C) : Not known. Viscosity (40°C) : 1 mm2/sec Vapour pressure (20°C) : 2300 Pa

Relative vapour density : Not relevant. The solvent content of this product is less than 1%.

Relative density (20°C) : 1,15 g/ml

Particle characteristics : Not applicable. Liquid.

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

: See sub-sections below. Reactivity

10.2. Chemical stability

10.1. Reactivity

: Stable under normal conditions. Stability

10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with alkalines. Strong heat development possible. Reacts with metals.

10.4. Conditions to avoid

: See section 7. Conditions to avoid

10.5. Incompatible materials

Materials to avoid : Keep away from bases.

10.6. Hazardous decomposition products

Hazardous decomposition : Not known.

products

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

Acute toxicity : Calculated LC50: no data mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity.

Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of

pulmonary oedema often manifest after several hours.

Sensitisation Does not contain substances classified as respiratory sensitiser. Not classified - based on available

data, the classification criteria are not met.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Product name : Rustyco Liquid sandpaper Page 6/10

Revision : 2023-11-08 Replaces issue dated : 2016-12-13 **INFO CARE SDS**

According to Regulation (EU) No 2020/878

Skin contact

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw.

Low toxicity. Not classified - based on available data, the classification criteria are not met.

Corrosion/irritation : Corrosive. May cause redness, pain and burns (blisters).

Sensitisation : Not classified - based on available data, the classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Eye contact

Corrosion/irritation : Corrosive. Risk of serious damage to eyes.

Ingestion

Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw.

Not classified - based on available data, the classification criteria are not met.

Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain

substances with an aspiration hazard.

Corrosion/irritation : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness,

stomachache, vomiting and diarrhoea.

Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the

classification criteria are not met.

Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification

criteria are not met.

Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available

data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not

classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Phosphoric acid	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (development)	> 370 mg/kg.d		Mouse
	- estimate			
	LC50 (inhalation) -	3846 mg/m3	Read across	Rat
	estimate			
	NOAEL (fertility, oral)	> 500 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	1530 mg/kg bw		Rat
	LD50 (dermal)	2740 mg/kg bw		Rabbit
	Skin irritation	Corrosive.		Rabbit
	Eye irritation - estimate	Corrosive.		
	Skin sensitisation -	Not sensitizing		
	estimate			
	NOAEL (oral)	250 mg/kg bw/d	OECD 422	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium

11.2. Information on other hazards

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 3897 mg/l. Calculated EC50 (waterflea): 366 mg/l. Contains 0 % of

components with unknown hazards to the aquatic environment. Not classified - based on available

data, the classification criteria are not met.

Product name : Rustyco Liquid sandpaper Page 7/10

Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS

According to Regulation (EU) No 2020/878

12.2. Persistence and degradability

Persistence - degradability: No specific information known. The surfactants contained in this preparation comply with the

biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

: If product enters soil, it will be highly mobile and may contaminate groundwater. Mobility

12.5. Results of PBT and vPvB assessment

: Does not contain PBT or vPvB substances. PBT/vPvB assessment

12.6. Endocrine disrupting properties

Endocrine disrupting

properties

: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat

product residues and non-empty pack as hazardous waste.

: None. Additional warning

Waste water discharge European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a

Local legislation

: Do not dispose of into the environment, drains, sewers or water courses.

waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Local regulations may be more stringent than regional or national requirements and must be

complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

: UN 1805 UN nr.

14.2. UN proper shipping name

: PHOSPHORIC ACID, SOLUTION Transport name : PHOSPHORIC ACID, SOLUTION Transport name (IMDG,

IATA)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

: 8 Class Classification code : C1 : III Packaging group Danger label : 8

Product name : Rustyco Liquid sandpaper Page 8/10 Revision : 2023-11-08 Replaces issue dated : 2016-12-13 **INFO CARE SDS**

According to Regulation (EU) No 2020/878

Tunnel restriction

code

: E



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8 Packaging group : III

: F-A/S-B EmS (fire / spill)

Marine pollutant : No

IATA (air)

: 8 Class ERG code . 81

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to

the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

: Not intended to be carried in bulk according to International Maritime Organisation (IMO) Marpol

instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other Community regulations

regulations. Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment

: Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

: European Agreement concerning the International Carriage of Dangerous Goods by Road **ADR**

ATE : Acute Toxicity Estimate

Product name : Rustyco Liquid sandpaper Page 9/10

Revision : 2023-11-08 : 2016-12-13 Replaces issue dated **INFO CARE SDS**

According to Regulation (EU) No 2020/878

CLP : Classification, Labeling & Packaging

CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC : European Economic Community

GHS : Globally Harmonized System of Classification and Labelling of Chemicals

IATA : International Air Transport Association IBC code : International Bulk Chemical Code

IMDG : International Maritime Dangerous Goods Code LD50/LC50 : Lethal Dose/Concentration for 50% of a population

MAC : Maximum Allowable Concentration

MARPOL : International Convention for the Prevention of Pollution From Ships

NO(A)EL : No Observed (Adverse) Effect Level

OECD : Organisation for Economic Co-operation and Development

PBT : Persistent, Bioaccumulative and Toxic

PC : Chemical product category

PT : Product type

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STP : Sewage Treatment Plant

SU : Sector of Use

TWA/STEL : Time-Weighted Average/Short Term Exposure Limit

UN : United Nations

UFI : Unique formula identifier VOC : Volatile Organic Compounds

vPvB : Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Corr. 1 : Expert judgement.
Eye Dam. 1 : Expert judgement.
Met. Corr. 1 : Bridging principle.

Full text of hazard classes mentioned in section 3: Skin Corr. 1A/B/C : Skin corrosive, category 1A/B/C.

Eye Dam. 1 : Serious eye damage, category 1. Met. Corr. 1 : Corrosive to metals, category 1.

Full text of H-phrases mentioned in section 3:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Advice on any training appropriate for workers: none.

Country / Language code : GB / EN

Number format : "," used as decimal separator.

End of safety data sheet.

Product name : Rustyco Liquid sandpaper Page 10/10
Revision : 2023-11-08 Replaces issue dated : 2016-12-13 INFO CARE SDS