

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** K2 NIXO WAVE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Air freshener
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Melle Sp. z o. o.
Stary Staw 9
63-400 OSTRÓW WLKP.
POLAND
- **Further information obtainable from:**
Product safety department.
zakupy@inter-global.com.pl
- **1.4 Emergency telephone number:** During normal opening times: 0048/62 737 88 00

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07



GHS09

- **Signal word** Warning
- **Hazard-determining components of labelling:**
Linalool
hexyl salicylate
d-limonene

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 1)

*Methyl cyclomyrcetone***· Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a waste container.

· 2.3 Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Determination of endocrine-disrupting properties***Methyl cyclomyrcetone*

List II

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures**· Description:** Mixture: consisting of the following components.**· Dangerous components:**

CAS: 90622-58-5 EINECS: 292-460-6	C11-15-Isoalkanes ⚠ Asp. Tox. 1, H304	<30%
CAS: 18479-58-8 EINECS: 242-362-4	2,6-dimethyloct-7-en-2-ol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	<20%
CAS: 78-70-6 EINECS: 201-134-4	Linalool ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<10%
CAS: 6259-76-3 EINECS: 228-408-6	hexyl salicylate ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<10%
CAS: 5989-27-5 EINECS: 227-813-5	d-limonene ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Acute 1, H400; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	<5%
CAS: 140-11-4 EINECS: 205-399-7	benzyl acetate Aquatic Chronic 3, H412	<3%
EC number: 915-730-3	Methyl cyclomyrcetone ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	<2%
CAS: 103-95-7 EINECS: 203-161-7	3-p-cumenyl-2-methylpropionaldehyde ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<2%
CAS: 32210-23-4 EINECS: 250-954-9	4-tert-butylcyclohexyl acetate ⚠ Skin Sens. 1, H317	<2%
CAS: 115-95-7 EINECS: 204-116-4	3,7-Dimethyl-1,6-octadien-3-ol acetate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<2%

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 2)

CAS: 60-12-8 EINECS: 200-456-2	2-phenylethanol ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319	<2%
CAS: 20298-69-5 EINECS: 243-718-1	cis-2-tert-Butylcyclohexyl acetate ⚠ Aquatic Chronic 2, H411	<2%
CAS: 469-61-4 EINECS: 207-418-4	alpha-Cedrene ⚠ Eye Irrit. 2, H319	<2%
CAS: 52475-86-2 EINECS: 257-942-2	1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	<1%
CAS: 127-91-3 EINECS: 204-872-5	beta-Pinene ⚠ Flam. Liq. 3, H226; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	<1%
CAS: 106-24-1 EINECS: 203-377-1	geraniol ⚠ Skin Sens. 1, H317	<1%
CAS: 97-53-0 EINECS: 202-589-1	Eugenol ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	<1%
CAS: 106-25-2 EINECS: 203-378-7	Nerol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	<1%
CAS: 546-28-1 EINECS: 208-898-8	beta-cedrene ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 1, H410	<1%
CAS: 106-22-9 EINECS: 203-375-0	Citronellol ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%
CAS: 5392-40-5 EINECS: 226-394-6	Citral ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%
CAS: 91-64-5 EINECS: 202-086-7	Coumarin ⚠ STOT RE 2, H373; ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	<1%
CAS: 37677-14-8 EINECS: 253-617-4	Isohexenyl cyclohexenyl carboxaldehyde ⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	<1%
CAS: 110-41-8 EINECS: 203-765-0	2-methylundecanal ⚠ Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1B, H317	<1%
CAS: 112-54-9 EINECS: 203-983-6	Lauric aldehyde ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	<1%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:
140-11-4 benzyl acetate
OEL Long-term value: 10 ppm

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 4)

5392-40-5 Citral

OEL	Long-term value: 5 ppm Inhalable fraction and vapour
-----	---

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 5)

· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not determined.
· Particle characteristics	See section 3.
9.2 Other information	
· Appearance:	
· Form:	Liquid on inert carrier material
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 6)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	119,333 mg/kg (rat)
------	------	---------------------

78-70-6 Linalool

Oral	LD50	2,790 mg/kg (rat)
------	------	-------------------

Dermal	LD50	5,610 mg/kg (rabbit)
--------	------	----------------------

5989-27-5 d-limonene

Oral	LD50	4,400 mg/kg (rat)
------	------	-------------------

140-11-4 benzyl acetate

Oral	LD50	2,490 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

32210-23-4 4-tert-butylcyclohexyl acetate

Oral	LD50	5,000 mg/kg (rat)
------	------	-------------------

60-12-8 2-phenylethanol

Oral	LD50	1,790 mg/kg (rat)
------	------	-------------------

Dermal	LD50	790 mg/kg (rabbit)
--------	------	--------------------

97-53-0 Eugenol

Oral	LD50	1,930 mg/kg (rat)
------	------	-------------------

106-22-9 Citronellol

Oral	LD50	3,450 mg/kg (rat)
------	------	-------------------

Dermal	LD50	2,650 mg/kg (rabbit)
--------	------	----------------------

5392-40-5 Citral

Oral	LD50	4,960 mg/kg (rat)
------	------	-------------------

91-64-5 Coumarin

Oral	LD50	293 mg/kg (rat)
------	------	-----------------

112-54-9 Lauric aldehyde

Oral	LD50	23,000 mg/kg (rat)
------	------	--------------------

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 7)

· 11.2 Information on other hazards

· Endocrine disrupting properties

Methyl cyclomyrcetone

List II

SECTION 12: Ecological information

· 12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.· **12.2 Persistence and degradability** The product is biodegradable. Degree of biodegradation > 70%· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· **Remark:** Toxic for fish

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN3082

· 14.2 UN proper shipping name

· ADR

3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, hexyl
salicylate)

· IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (DIPENTENE, hexyl salicylate),
MARINE POLLUTANT

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (DIPENTENE, hexyl salicylate)

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU


Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 8)

· **14.3 Transport hazard class(es)**· **ADR, IMDG, IATA**

· **Class** 9 Miscellaneous dangerous substances and articles.
 · **Label** 9

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:**

· **Marine pollutant:** Symbol (fish and tree)
 · **Special marking (ADR):** Symbol (fish and tree)
 · **Special marking (IATA):** Symbol (fish and tree)

· **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

· **Hazard identification number (Kemler code):** 90

· **EMS Number:** F-A,S-F

· **Stowage Category** A

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**· **ADR**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
 · **Transport category** 3
 · **Tunnel restriction code** (-)

· **IMDG**

· **Limited quantities (LQ)** 5L
 · **Excepted quantities (EQ)** Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (DIPENTENE, HEXYL
 SALICYLATE), 9, III

*

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category** E1 Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

(Contd. on page 10)

IE

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 9)

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Local regulations.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· **Classification according to Regulation (EC) No 1272/2008**

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Date of previous version:** 07.10.2024

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31 and 2020/878/EU

Printing date 07.10.2024

Version number 1

Revision: 07.10.2024

Trade name: K2 NIXO WAVE

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

IE