

Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

Article number: 02761410

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC31 Polishes and wax blends

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements P102 Keep out of reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Emulsion of solvents, abrasives and additives

| Dangerous components: | | |
|--------------------------------|--|---------|
| EC No 920-114-2 | Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics | 15-<20% |
| Reg.nr.: 01-2119459347-30-xxxx | Alternative CAS number: 64742-46-7 | |
| | 🕸 Asp. Tox. 1, H304 | |
| | 1-Methoxy-2-propanol | 3-<5% |
| EINECS: 203-539-1 | ♠ Flam. Liq. 3, H226; ♦ STOT SE 3, H336 | |
| Reg.nr.: 01-2119457435-35-xxxx | | |

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.



Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

(Contd. of page 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air.

After skin contact:

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water. **After swallowing:** Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Absorb liquid components with liquid-binding material.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

C D



Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 107-98-2 1-Methoxy-2-propanol

WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Sk

IOELV (EU) Short-term value: 568 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Skin

Regulatory information

WEL (Great Britain): EH40/2011 IOELV (EU): (EU) 2017/164

| ח | N | F | Ic |
|---|---|---|----|
| | | | |

CAS: 107-98-2 1-Methoxy-2-propanol

| | | 3.3 mg/kg (consumer) (long-term / systemic effects) |
|------------|------|--|
| Dermal | DNEL | 18.1 mg/kg (consumer) (long-term / systemic effects) |
| | | 50.6 mg/kg (worker) (long-term / systemic effects) |
| Inhalative | DNEL | 43.9 mg/m³ (consumer) (long-term / systemic effects) |
| | | 553.5 mg/m³ (worker) (short-term / local effects) |
| | DNEL | 369 mg/m³ (worker) (long-term / systemic effects) |

PNECs

CAS: 107-98-2 1-Methoxy-2-propanol

PNEC 100 mg/l (STP)

100 mg/l (water (intermittent release))

10 mg/l (water (fresh water))

1 mg/l (water (sea water))

PNEC 2.47 mg/kg (gro)

41.6 mg/kg (sediment (fresh water))

4.17 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace. **Protection of hands:** Not required in normal cases. **Eye protection:** Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Pasty

(Contd. on page 4)



Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

| | | (Contd. of pa |
|--|---|---------------|
| Colour: | White | |
| Odour: | Solvent-like | |
| Odour threshold: | Not determined. | |
| pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/freezing point: | Undetermined. | |
| Initial boiling point and boiling range: | : 100 - 310 °C | |
| Flash point: | Not applicable. | |
| Flammability (solid, gas): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto-ignition temperature: | Product is not selfigniting. | |
| Explosive properties: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapour pressure: | Not determined. | |
| Density at 20 °C: | 0.99 - 1.01 g/cm³ | |
| Relative density | Not determined. | |
| Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Partly miscible. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Kinematic at 40 °C: | >20.5 mm²/s | |
| 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. Acute toxicity Based on available data, the classification criteria are not met.

| LD/LC50 v | LD/LC50 values relevant for classification: | | |
|------------|--|--|--|
| Hydrocarl | Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics | | |
| Oral | LD50 | >5,000 mg/kg (rat) (OECD 401) | |
| Dermal | LD50 | >2,000 mg/kg (rabbit) (OECD 402) | |
| Inhalative | LC50/4d | >5,266 mg/l (rat) (Aerosol (OECD 403)) | |
| CAS: 107- | CAS: 107-98-2 1-Methoxy-2-propanol | | |
| Oral | LD50 | 4,016 mg/kg (rat) | |
| Dermal | LD50 | >2,000 mg/kg (rat) | |
| Inhalative | LC0 / 6h | >7,000 ppm (rat) | |

(Contd. on page 5)



Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

Viscosity: > 20,5mm²/s (40°C)

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

| Aquatic toxic | Aquatic toxicity: | |
|---------------|--|--|
| Hydrocarboi | Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics | |
| LL0 96h | 87,556 mg/l (Oncorhynchus mykiss) | |
| ErL0 72h | 1,000 mg/l (Pseudokirchneriella subcapitata) | |
| NOELR 72 h | 1,000 mg/l (Pseudokirchneriella subcapitata) | |
| NOELR 21d | 5 mg/l (Daphnia magna) | |
| ELO 48 h | 1,000 mg/l (Daphnia magna) | |
| CAS: 107-98 | CAS: 107-98-2 1-Methoxy-2-propanol | |
| LC50 / 96h | >6,800 mg/l (Leuciscus idus) (DIN38412) | |
| LC50 / 48h | 23,300 mg/l (Daphnia magna) | |
| EC50 | >1,000 mg/l (Pseudokirchneriella subcapitata) (7d) | |
| EC50/3h | >1,000 mg/l (activated sludge) (OECD 209) | |
| 12.2 Persiste | 12.2 Persistence and degradability | |
| Hydrocarboi | Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics | |

Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics

Biodegradiation 17.7 % (28d)

CAS: 107-98-2 1-Methoxy-2-propanol
Biodegradiation 90-100 % (OEECD 301E)

12.3 Bioaccumulative potential

CAS: 107-98-2 1-Methoxy-2-propanol

log Kow ≤0.43 log Kow (25°C)

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product may not be released into the environment without control.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations. **European waste catalogue**

1) Disposal / product

2) Disposal / contaminated packaging

(Contd. on page 6)



Printing date 12.12.2019 Version: 1.02 Revision: 21 12 2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

(Contd. of page 5)

20 01 13* solvents 15 01 02 plastic packaging

SECTION 14: Transport information

14.1 UN-Number ADR, IMDG, IATA Void

14.2 UN proper shipping name

ADR, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture The following substance(s) in this product is (are) identified by CAS number either in countries not subject to the REACH regulation or in regulations not yet updated with the new naming convention for hydrocarbon

Hydrocarbons, C14-C19, isoalkanes, cyclics, < 2% aromatics: CAS 64742-46-7

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 7)



Printing date 12.12.2019 Version: 1.02 Revision: 21.12.2018

Trade name: SONAX PROFILINE HEADLIGHTPOLISH

(Contd. of page 6)

PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LOSO: Lethal dose, 50 percent
LOSO: Lethal dose, 50 percent
IOELV = indicative occupational exposure limit values
Flam. Liq. 3: Flammable liquids – Category 3
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1

Version history and indication of changes: Replaces version 1.01.