

Printing date 12.12.2019 Version: 4.00 Revision: 10.10.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SONAX Professional Leak Detection Spray

Article number: 825300

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Leak testing of pressure systems

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SONAX GmbH Münchener Straße 75

Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aerosol 3 H229 Pressurised container: May burst if heated.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms Void

Signal word Warning

Hazard statements

H229 Pressurised container: May burst if heated.

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Description: Formulation consisting of pressurised gas and aqueous tenside solution

Dangerous compor	Dangerous components:		
CAS: 14960-06-6 EINECS: 239-032-7		◆ Eye Irrit. 2, H319	< 5%
CAS: 124-38-9 EINECS: 204-696-9		Press. Gas (Ref. Liq.), H281	< 5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.



Printing date 12.12.2019 Version: 4.00 Revision: 10.10.2017

Trade name: SONAX Professional Leak Detection Spray

(Contd. of page 1)

#### After skin contact:

Generally the product does not irritate the skin.

Wash the areas of skin affected with water and a mild detergent.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** The normal measures for firefighting are to be taken.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

#### Information about fire - and explosion protection:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

### Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility: Store away from foodstuffs.

## Further information about storage conditions:

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.



Printing date 12.12.2019 Version: 4.00 Revision: 10.10.2017

Trade name: SONAX Professional Leak Detection Spray

(Contd. of page 2)

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 124-38-9 carbon dioxide

WEL (Great Britain) Short-term value: 27400 mg/m³, 15000 ppm

Long-term value: 9150 mg/m³, 5000 ppm Long-term value: 9000 mg/m³, 5000 ppm

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

IOELV (EU)

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to

## Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

## Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace. Protection of hands: Not required in normal cases. Eye protection: Not required in normal cases

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Aerosol Colour: Colourless Odour: Characteristic Odour threshold: Not determined.

Important information on protection of health and

environment, and on safety. data of the content without propellant

Undetermined.

Product is not selfigniting.

pH-value at 20 °C: 7.0 - 8.0

Change in condition

Melting point/freezing point:

Initial boiling point and boiling range: 100 - 190 °C Not applicable. Flash point: Flammability (solid, gas): Not applicable. Decomposition temperature: Not determined. Auto-ignition temperature:

Not determined. Explosive properties:

**Explosion limits:** 

Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined.

Density at 20 °C: 1.03 - 1.04 g/cm3 Relative density Not determined. Vapour density Not determined. Evaporation rate Not applicable.

(Contd. on page 4)



Printing date 12.12.2019 Version: 4.00 Revision: 10.10.2017

Trade name: SONAX Professional Leak Detection Spray

(Contd. of page 3)

Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Flow time at 20 °C	10 - 15 s (DIN EN ISO 2431/4mm)
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

An increase in pressure may lead to bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

See Section 7 for information on safe handling.

- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture.

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification: No further relevant information available.

Primary irritant effect:

#### Skin corrosion/irritation

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

### Serious eye damage/irritation

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

## Respiratory or skin sensitisation

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product may not be released into the environment without control.

(Contd. on page 5)



Printing date 12.12.2019 Version: 4.00 Revision: 10.10.2017

Trade name: SONAX Professional Leak Detection Spray

(Contd. of page 4)

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dangerous waste in accordance with the Directive on the List of Waste Materials

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

15 01 10\* packaging containing residues of or contaminated by dangerous substances

## **SECTION 14: Transport information**

14.1 UN-Number

ADR, IMDG, IATA UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

IATA AEROSOLS, non-flammable

### 14.3 Transport hazard class(es)

**ADR** 



Class 2 5A Gases.

Label 2.2

IMDG, IATA



 Class
 2.2

 Label
 2.2

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Warning: Gases.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L Transport category 3 Tunnel restriction code E

UN "Model Regulation": UN1950, AEROSOLS, 2.2

GB



Version: 4.00 Printing date 12.12.2019 Revision: 10.10.2017

Trade name: SONAX Professional Leak Detection Spray

(Contd. of page 5)

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations:

Germany:

Official DIN-DVGW certification (reg. no. NG-5170CM0029).

Meets DIN EN 14291 requirements.

## Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H281 Contains refrigerated gas; may cause cryogenic burns or injury.

H319 Causes serious eye irritation.

## Classification according to Regulation (EC) No 1272/2008

Aerosols On basis of test data

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

FC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values

Aerosol 3: Aerosols - Category 3

Press. Gas (Ref. Liq.): Gases under pressure – Refrigerated liquefied gas

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

\* Data compared to the previous version altered.