Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL LGC Lobrid Glycerin Coolant Premix -40°C

Article No.:

1410129

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Antifreeze agent

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

löllenbecker Str. 2 33824 Werther

Telephone: +49 5203 9719 0 Telefax: +49 5203 9719 40 E-mail: kontakt@ravenol.de Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Contract ID: RAV), +49 5203 9719 0 (Mo-Do 7.30 Uhr - 16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories		Classification pro cedure
STOT-repeated exposure (STOT RE 2)	H373: May cause damage to organs through prolonged or repeated exposure. ()	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] **Hazard pictograms:**



GHS08 Health hazard

Signal word: Warning

Hazard components for labelling:

sodium 2-ethylhexanoate; ethane-1,2-diol

hazard statements for health hazards		
H373	May cause damage to organs through prolonged or repeated exposure. ()	

Supplemental Hazard information (EU): -

Precautionary stat	ements	
P102	Keep out of reach of children.	

sp en / DE / BA / BY / MK / HU / ...

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Precautionary statements Prevention		
P260	Do not breathe dust/fume/gas/mist/vapours/spray.	

Precautionary stat	tements Response
P314	Get medical advice/attention if you feel unwell.

Precautionary statements Disposal		
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	

Additional information:

This product contains a bitter substance.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concen- tration
CAS No.: 107-21-1 EC No.: 203-473-3 REACH No.: 01-2119456816-28-0000	ethane-1,2-diol Acute Tox. 4, STOT RE 2 Warning H302-H373	20 - 40 Wt %
CAS No.: 19766-89-3 EC No.: 243-283-8	sodium 2-ethylhexanoate Repr. 2 H361d	1 - < 3 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

In case of respiratory tract irritation, consult a physician. Provide fresh air. Get immediate medical advice/attention.

In case of skin contact:

In case of skin irritation, consult a physician. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse.

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Causes serious eye irritation.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. If unconscious place in recovery position and seek medical advice. Harmful if swallowed. May cause damage to organs.

Self-protection of the first aider:

First aider: Pay attention to self-protection! Use personal protection equipment. No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed

Reference to other sections: SECTION 2: Hazards identification SECTION 11: Toxicological information

4.3. Indication of any immediate medical attention and special treatment needed Observe risk of aspiration if vomiting occurs. Treat symptomatically.

en / DE / BA / BY / MK / HU / ...

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam

Carbon dioxide (CO2)

Extinguishing powder

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic. The product itself does not burn.

Hazardous combustion products:

Nitrogen oxides (NOx) Carbon monoxide Carbon dioxide (CO2)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Do not breathe vapour. Remove all sources of ignition.

6.1.2. For emergency responders

Personal protection equipment:

Use appropriate respiratory protection.

6.2. Environmental precautions

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Immediately inform the responsible authorities in entry into waterways or sewage system.

6.3. Methods and material for containment and cleaning up

For containment:

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

6.5. Additional information

Clear spills immediately.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Harmful if swallowed. Do not breathe gas/vapour. Keep out of reach of children. Wash hands before breaks and after work. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation. Vapours are heavier than air.

Fire prevent measures:

No special fire protection measures are necessary.

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Measures to prevent aerosol and dust generation:

Provide adequate ventilation.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep locked up and out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Requirements for storage rooms and vessels:

Keep/Store only in original container. Shafts and sewers must be protected from entry of the product.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

Antifreeze / Coolant

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country	Substance name	① long-term occupational exposure limit value	
of origin)		② short-term occupational exposure limit value ③ Instantaneous value	
		Monitoring and observation processes	
		(5) Remark	
СН	ethane-1,2-diol	① 10 ppm (26 mg/m³)	
	CAS No.: 107-21-1	② 20 ppm (52 mg/m³)	
		⑤ (kann über die Haut aufgenommen werden)	
BE	ethane-1,2-diol	① 20 ppm (52 mg/m³)	
	CAS No.: 107-21-1	③ 40 ppm (104 mg/m³)	
		⑤ (Aérosol)	
CZ	ethane-1,2-diol	① 19.7 ppm (50 mg/m³)	
	CAS No.: 107-21-1	② 39.4 ppm (100 mg/m³)	
PL	ethane-1,2-diol	① 15 mg/m³	
	CAS No.: 107-21-1	② 50 mg/m³	
NO	ethane-1,2-diol	① 20 ppm (52 mg/m³)	
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)	
		⑤ (kan absorberes gjennom huden)	
TRGS 900 (DE)	ethane-1,2-diol	① 10 ppm (26 mg/m³)	
	CAS No.: 107-21-1	② 20 ppm (52 mg/m³)	
		⑤ (kann über die Haut aufgenommen werden)	
IE	ethane-1,2-diol	① 10 mg/m³	
	CAS No.: 107-21-1	⑤ (may be absorbed through the skin)	
IE	ethane-1,2-diol	① 20 ppm (52 mg/m³)	
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)	
		⑤ (vapour, may be absorbed through the skin)	
MY	ethane-1,2-diol ③ 39.4 ppm (100 mg/m³)		
	CAS No.: 107-21-1		

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Limit value	Substance name	① long-term occupational exposure limit value		
type (country of origin)		② short-term occupational exposure limit value		
or origin,		3 Instantaneous value		
		Monitoring and observation processes		
		⑤ Remark		
FI	ethane-1,2-diol	① 20 ppm (50 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (100 mg/m³)		
		⑤ (kan absorberas genom huden)		
LT	ethane-1,2-diol	① 10 ppm (25 mg/m³)		
	CAS No.: 107-21-1	② 20 ppm (50 mg/m³)		
		⑤ (garų ir Aerozolis)		
SE	ethane-1,2-diol	① 10 ppm (25 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
		(\$ (kan absorberas genom huden)		
SK	ethane-1,2-diol	① 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
		(s (rátajte so vstrebávaním cez pokožku)		
MAK (AT)	ethane-1,2-diol	① 10 ppm (26 mg/m³)		
1-1/ (IX (/ (I /	CAS No.: 107-21-1	(\$ (kann über die Haut aufgenommen werden)		
DK	ethane-1,2-diol	<u> </u>		
DK	CAS No.: 107-21-1	① 10 mg/m³		
DK	allo and 10 diel	② 20 mg/m³		
DK	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m³)		
	C/13 140 107 21 1	② 20 ppm (52 mg/m³)		
		⑤ (kan optages gennem huden)		
MAK (AT)	ethane-1,2-diol CAS No.: 107-21-1	② 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	⑤ (max. 8x5 min./Schicht, Momentanwert, kann über die Haut		
0.0		aufgenommen werden)		
BG	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m³)		
	67.67.4611.167.21.1	② 40 ppm (104 mg/m³)		
		⑤ (трябва да се очаква абсорбиране през кожата)		
HR	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m³)		
		② 40 ppm (104 mg/m³)		
ES	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
		⑤ (puede ser absorbido a través dérmica)		
RO	ethane-1,2-diol	① 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
EE	ethane-1,2-diol	① 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
LV	ethane-1,2-diol	① 20 ppm (52 mg/m³)		
	CAS No.: 107-21-1	② 40 ppm (104 mg/m³)		
		⑤ (var absorbet caur adu)		
Alberta (CA)	ethane-1,2-diol	③ 100 mg/m³		
	CAS No.: 107-21-1			
BC (CA)	ethane-1,2-diol	③ 100 mg/m³		
	CAS No.: 107-21-1	⑤ (Aerosol)		
BC (CA)	ethane-1,2-diol	① 10 mg/m³		
	CAS No.: 107-21-1	② 20 mg/m³		
		⑤ (particles)		
BC (CA)	ethane-1,2-diol	③ 50 mg/m³		
	CAS No.: 107-21-1	⑤ (vapor)		
	L	1		

RAVENOL

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019

Limit value type (country of origin)	Substance name	 long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark 	
IOELV (EU)	ethane-1,2-diol CAS No.: 107-21-1	 20 ppm (52 mg/m³) 40 ppm (104 mg/m³) (may be absorbed through the skin) 	
VRI (FR)	ethane-1,2-diol CAS No.: 107-21-1	 20 ppm (52 mg/m³) 40 ppm (104 mg/m³) (peut être absorbé par la peau) 	
WEL (GB)	ethane-1,2-diol CAS No.: 107-21-1	 20 ppm (52 mg/m³) 40 ppm (104 mg/m³) (vapour, may be absorbed through the skin) 	
SI	ethane-1,2-diol CAS No.: 107-21-1	 20 ppm (52 mg/m³) 40 ppm (104 mg/m³) (računati je treba z možnostjo prodiranja skozi kožo) 	
TW	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m³ ⑤ (蒸汽)	
TW	ethane-1,2-diol CAS No.: 107-21-1	③ 50 ppm (127 mg/m³) ⑤ (霧)	
WEL (GB)	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m³ ⑤ (may be absorbed through the skin)	
KR	ethane-1,2-diol CAS No.: 107-21-1	③ 40 ppm (100 mg/m³) ⑤ (증기 와(과) 연무)	
IS	ethane-1,2-diol CAS No.: 107-21-1	 ① 10 ppm (26 mg/m³) ② 40 ppm (104 mg/m³) ⑤ (efnið getur auðveldlega borist inn í líkamann gegnum húð) 	
IS .	ethane-1,2-diol CAS No.: 107-21-1	 ① 10 ppm (26 mg/m³) ⑤ (úðaefni, efnið getur auðveldlega borist inn í líkamann gegnum húð) 	
CN	ethane-1,2-diol CAS No.: 107-21-1	① 20 mg/m³ ② 40 mg/m³	
HU	ethane-1,2-diol CAS No.: 107-21-1	① 52 mg/m³ ② 104 mg/m³	
RU	ethane-1,2-diol CAS No.: 107-21-1	① 5 mg/m³ ③ 10 mg/m³	
GR	ethane-1,2-diol CAS No.: 107-21-1	① 50 ppm (125 mg/m³) ② 50 ppm (125 mg/m³)	
NL	ethane-1,2-diol CAS No.: 107-21-1	① 52 mg/m³ ② 104 mg/m³ ⑤ (damp)	
ACGIH (US)	ethane-1,2-diol CAS No.: 107-21-1	② 10 mg/m³ ⑤ (inhalable fraction Aerosol)	
NL	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m³ ⑤ (deeltjes)	
ACGIH (US)	ethane-1,2-diol CAS No.: 107-21-1	① 25 ppm ② 50 ppm ⑤ (vapor)	
Québec (CA)	ethane-1,2-diol CAS No.: 107-21-1	③ 50 ppm (127 mg/m³)	



Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019

Limit value type (country of origin)	Substance name	 long-term occupational exposure limit value short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark 	
СН	glycerol CAS No.: 56-81-5	① 50 mg/m³ ② 100 mg/m³ ⑤ (einatembare Fraktion)	
CZ	glycerol CAS No.: 56-81-5	① 2.44 ppm (10 mg/m³) ② 3.66 ppm (15 mg/m³)	
PL	glycerol CAS No.: 56-81-5	① 10 mg/m³	
IE	glycerol CAS No.: 56-81-5	① 10 mg/m³	
FI	glycerol CAS No.: 56-81-5	① 20 mg/m³	
MY	glycerol CAS No.: 56-81-5	① 10 mg/m³	
OSHA (US)	glycerol CAS No.: 56-81-5	① 15 mg/m³ ⑤ inhalable fraction	
HR	glycerol CAS No.: 56-81-5	① 10 mg/m³	
BE	glycerol CAS No.: 56-81-5	① 10 mg/m³ ⑤ (brouillard)	
EE	glycerol CAS No.: 56-81-5	① 10 mg/m³	
Alberta (CA)	glycerol CAS No.: 56-81-5	① 10 mg/m³	
BC (CA)	glycerol CAS No.: 56-81-5	① 10 mg/m³ ⑤ (mist)	
BC (CA)	glycerol CAS No.: 56-81-5	① 3 mg/m³ ⑤ (respirable fraction)	
ES	glycerol CAS No.: 56-81-5	① 10 mg/m³	
SK	glycerol CAS No.: 56-81-5	① 10 mg/m³	
VLA (FR)	glycerol CAS No.: 56-81-5	① 10 mg/m³ ⑤ (Aérosol)	
KR	glycerol CAS No.: 56-81-5	① 10 mg/m³	
WEL (GB)	glycerol CAS No.: 56-81-5	① 10 mg/m³	
GR	glycerol CAS No.: 56-81-5	① 10 mg/m³	
TRGS 900 (DE)	glycerol CAS No.: 56-81-5	 ① 200 mg/m³ ② 400 mg/m³ ⑤ (einatembare Fraktion) 	
OSHA (US)	glycerol CAS No.: 56-81-5	① 5 mg/m³ ⑤ (respirable fraction)	
Québec (CA)	glycerol CAS No.: 56-81-5	① 10 mg/m³	

8.1.2. Biological limit values

No data available

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
ethane-1,2-diol	35 mg/m³	① DNEL worker
CAS No.: 107-21-1		② DNEL acute inhalative (local)
ethane-1,2-diol	106 mg/kg	① DNEL worker
CAS No.: 107-21-1	bw/day	② DNEL long-term dermal (systemic)
sodium 2-ethylhexanoate	14 mg/m³	① DNEL worker
CAS No.: 19766-89-3		② DNEL long-term inhalative (systemic)

Substance name	PNEC Value	① PNEC type
ethane-1,2-diol CAS No.: 107-21-1	10 mg/l	① PNEC aquatic, freshwater
ethane-1,2-diol CAS No.: 107-21-1	1 mg/l	① PNEC aquatic, marine water
ethane-1,2-diol CAS No.: 107-21-1	37 mg/kg	① PNEC sediment, freshwater
ethane-1,2-diol CAS No.: 107-21-1	3.7 mg/kg	① PNEC sediment, marine water
ethane-1,2-diol CAS No.: 107-21-1	199.5 mg/l	① PNEC sewage treatment plant (STP)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment





Eye/face protection:

During transfer: Eye glasses with side protection

DIN-/EN-Norms: DIN EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene

rubber)

Thickness of the glove material: >= 0,3 mm

Breakthrough time (maximum wearing time) 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respirative protection necessary.

Thermal hazards:

No data available.

Other protection measures:

Wash hands before breaks and after work.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: violet

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
рН	not determined			
Melting point	not determined			
Freezing point	≈ -40 °C			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	1,080 kg/m³	20 °C		
Bulk density	not determined			
Water solubility	completely miscible			
Partition coefficient: n-octanol/ water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. hygroscopic.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

responds with: Oxidising agent, strong, Strong acid

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Oxidising agent, strong

Acid, concentrated

10.6. Hazardous decomposition products

The product is stable under storage at normal ambient temperatures.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
107-21-1	ethane-1,2-diol	LD ₅₀ oral:
		4,700 mg/kg (rat)
		LD ₅₀ dermal:
		10,600 mg/kg (canin)

Acute oral toxicity:

No information available.

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

Skin corrosion/irritation:

No information available. Frequently or prolonged contact with skin may cause dermal irritation.

Serious eye damage/irritation:

No information available.

Respiratory or skin sensitisation:

No information available.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-repeated exposure:

May cause damage to kidneys through prolonged or repeated exposure if swallowed.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
107-21-1	ethane-1,2-diol	LC₅₀: 8,050 – 72,900 mg/l 4 d
		EC₅₀: >100 mg/l 2 d
		ErC₅₀: 6,500 – 13,000 mg/l 4 d
		NOEC: 72,860 mg/l -∞ h
		NOEC: 8,590 mg/l -∞ h

Aquatic toxicity:

The product has not been tested.

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
107-21-1	ethane-1,2-diol	Yes, rapidly	

Biodegradation:

Readily biodegradable (according to OECD criteria). The information about ecology refers to the main components.

Additional information:

The product has not been tested.

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
107-21-1	ethane-1,2-diol	-1.36	

Accumulation / Evaluation:

The information relates to the active ingredient.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
107-21-1	ethane-1,2-diol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
19766-89-3	sodium 2-ethylhexanoate	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR) Inland waterway

No dangerous good in sense of these transport regulations.

RID)	craft (ADN)	Sea transport (IMDG)	
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper sh	ipping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.3. Transport ha	zard class(es)		
not relevant		-	
14.4. Packing grou	р		
not relevant			
14.5. Environment	al hazards		
not relevant			
14.6. Special preca	autions for user		

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Use restriction according to REACH annex XVII, no.: ethanediol

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

en / DE / BA / BY / MK / HU / ...

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



Water hazard class (WGK)

WGK:

1 - schwach wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868

Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier
1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
10.1.	Reactivity
13.1.	Waste treatment methods
14.1.	UN number
14.2.	UN proper shipping name
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification pro cedure
STOT-repeated exposure (STOT RE 2)	H373: May cause damage to organs through prolonged or repeated exposure. ()	

Revision date: 08-May-2019 Version: 3 Print date: 08-May-2019



16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure. ()

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version

en / DE / BA / BY / MK / HU / ...